

Case XI

Replacement of P.C. Conc. Curb or Curb & Gutter to be Same type & Materials as That Removed.

1½" Compacted Thickness Hot Mix Asphaltic Concrete Type S-I, S-III Or Type III.

Exist. Asphaltic Conc.

Exist. Base T

Grass

Soil

See LR Note

6"

98% Max. Density Per AASHTO T-180 Compacted Backfill.

Conduit Or Pipe Dia. Varies

12" Min.

Pipe Bedding

LR. Note: 6" Min. Or Equal To "T" ≥ 6" Limerock Base (LBR 75), 100% Max. Density AASHTO T-180

STANDARD PAVING
REPAIR DETAIL

*CITY OF
JACKSONVILLE
STANDARD*

N.T.S.

PLATE P-410

DATE DRAWN 1980

REVISED DATE 9/19/97