

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0002		SR 200 .1 MI. N. OF BRANDY BRANCH RD.	N 4800	S 4800	9600 C	9.0	54.2F	26.1F
0004		SR 228 (NORMANDY BLVD) .3 MI. E. OF NEW WORLD AV	E 3600	W 3500	7100 C	9.0	56.1F	6.6F
0005		SR 10 2.0 MI. E. OF CR 115C	E 4200	W 3800	8000 C	9.0	56.1F	14.7A
0006		SR 212 AT E. END SAN PABLO BR.	E 19500	W 18500	38000 C	9.0	55.2F	1.6F
0008		SR 10 W. OF EDGEWOOD AVE.	E 4000	W 3600	7600 C	9.0	56.1F	14.7F
0012		SR 21 400' N. OF COLLINS RD.	N 19000	S 21000	40000 C	9.0	56.1F	3.3F
0021		SR 115 200' S. OF CARROLLTON RD.	N 8000	S 7700	15700 C	9.0	56.1F	2.1F
0024		SR 5 500' N. OF EASTPORT RD.	N 9800	S 10000	19800 C	9.0	56.1F	4.1F
0032		SR A1A S. OF 11TH ST.	N 18000	S 18000	36000 C	9.0	55.2F	2.1F
0034		SR 212 400' E. OF UNIVERSITY BLVD.	E 14500	W 13500	28000 C	9.0	56.1F	1.6F
0036		SR 13 .1 MI. S. OF SAN JOSE BLVD.	N 16500	S 16500	33000 C	9.0	56.1F	1.2A
0039		SR 13 S. OF BAYMEADOWS RD. (AT GOOBY'S BR)	N 24500	S 23000	47500 C	9.0	56.1F	1.2F
0050		SR 139 .1 MI. SE OF SR 15/US 17	E 4500	W 4000	8500 C	9.0	56.1F	5.9A
0052		SR 10 700' W. OF SR 115	E 16500	W 16000	32500 C	9.0	56.1F	2.1F
0053		SR 10 300' W. OF ARLINGTON RD.	E 13500	W 13000	26500 C	9.0	56.1F	2.1F
0060		SR 122 (GOLFAIR BLVD.) SE OF BRENTWOOD AVE.	N 3900	S 4100	8000 C	9.0	56.1F	3.4F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0062	T	SR-212/US-90,0.1 MI E OF HOPSON RD,DUVAL CO.	E 21521	W 20954	42475 C	9.0	55.0A	3.1A
0079		SR 13 150' S. OF OLD ST AUGUSTINE RD.	N 18500	S 18000	36500 C	9.0	56.1F	1.2F
0099		SR 202 E. OF BELFORT RD. W. OF BELFORT RAMPS	E 54500	W 56000	110500 C	9.0	56.1F	4.7F
0101		RAMP I-95 NB TO SR 115 NB	N 10500	0	10500 C	9.0	99.9W	1.6F
0102		SR 10 100' W. OF MELSON AVE.	E 5500	W 5100	10600 C	9.0	56.1F	14.7F
0103		SR 15 .2 MI. S. OF MAIN ENT. TO JAX NAS	N 22500	S 20000	42500 C	9.0	56.1F	1.9F
0104		ORTEGA BLVD. .1 MI. N. OF US 17	N 0	S 0	3100 C	9.0	56.1F	1.3F
0105		RAMP SR 115 SB TO I-95 SB	S 14500	0	14500 C	9.0	99.9W	1.6F
0109	T	SR-8/I-10,@CR-217 OVERPASS,E. OF BALDWIN,DUVAL C	0E	0E	53000 F	9.0	54.2P	20.8P
0116		SR 115 (LEM TURNER) S. OF DUNN AVE.	N 8900	S 9200	18100 C	9.0	56.1F	2.1A
0117		SR 5 200' S. OF BUSCH DR.	N 6000	S 6500	12500 C	9.0	56.1F	6.8F
0118		SR 5 100' S. OF FORD AVE./GUN CLUB RD.	N 6500	S 5700	12200 C	9.0	56.1F	6.8F
0122		SR 10 .1 MI. E. OF UNIVERSITY BLVD.	E 14500	W 15000	29500 C	9.0	56.1F	2.1F
0123		SR 10 .8 MI. E. OF ST. JOHNS BLUFF RD.	E 30500	W 31000	61500 C	9.0	55.2F	2.1F
0124		SR 5 .2 MI. SE OF SR 202(JTB)	N 21000	S 21000	42000 C	9.0	56.1F	3.0F
0126		SR 13 150' N. OF SR 126 (EMERSON ST.)	N 13000	S 13000	26000 C	9.0	56.1F	1.2F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0127		SR 13 300' S. OF DUPONT RD.	N	12000	S	11500	23500 C	9.0	56.1F	1.2F
0128		SR 13 150' N. OF MANDARIN RD.	N	28500	S	27000	55500 C	9.0	56.1F	1.2F
0133		SR A1A 200' S. OF 7TH AVE.	S	15500	N	15500	31000 C	9.0	55.2F	2.1F
0139		SR 15 .35 MI. N. OF SR 211	N	18500	S	17500	36000 C	9.0	56.1F	1.9F
0140		SR 228 W. OF PINE ST.	E	0	W	0	6200 C	9.0	56.1F	6.6F
0142		SR 105 200' E. OF CR 163	E	6800	W	6400	13200 C	9.0	56.1F	15.5F
0143		SR 105 LEG A 100' E. OF SR 5	E	1700	W	1500	3200 C	9.5	56.1F	12.9A
0145		SR 105 .5 MI W. OF SR 9-A	E	6000	W	5800	11800 C	9.0	56.1F	16.7A
0146		SR 105 AT W. END CARLOS CREEK BRIDGE	E	9400	W	9400	18800 C	9.0	56.1F	17.0A
0150		SR 228 (NORMANDY BLVD.) 500' W. OF SR 111 (CASSA	E	8000	W	7400	15400 C	9.0	56.1F	6.6F
0167		SR 10 400' W. OF TYLER ST.	E	7300	W	6100	13400 C	9.0	56.1F	14.7F
0171	T	SR-9/I-95,0.7 MI N OF UNIVERSITY BLVD,JAX,DUVAL	N	66174	S	65937	132111 C	9.0	51.7A	8.6A
0172	T	SR-21,S END OF CEDAR RIVER BR.,JAX,DUVAL CO.	N	17480	S	18456	35936 C	9.0	64.6A	3.0A
0174		SR 105 W. END OF CLAPBOARD CRK. BRIDGE	E	0	W	0	8100 C	9.0	55.2F	15.5F
0178		SR 115 .4 MI. S. OF TERRELL RD.	N	0	S	0	11000 C	9.0	56.1F	2.1F
0184		SR 15 AT S. END OF BRIDGE/ORTEGA RIVER	N	21500	S	22500	44000 C	9.0	56.1F	2.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0187		SR 115 AT BRIDGE OVER RIBAULT RIVER	N	16000	S	15500	31500 C	9.0	56.1F	2.1A
0188		CR 211 100' S. OF ORTEGA RIVER	E	0	W	0	4900 C	9.0	56.1F	1.8F
0190		I-295(9A) .1 MI. W. OF PULASKI RD.	S	39500	N	39500	79000 C	9.0	56.1F	11.7A
0191		I-295(9A) 500' NW OF ALTA RD.	S	33000	N	35500	68500 C	9.0	56.1F	12.7F
0192		I-295(9A) .1 MI. N. OF SR 105	S	33000	N	35500	68500 C	9.0	56.1F	12.7F
0201		I-295(9A) .5 MI. N. OF MONUMENT RD.	S	39500	N	37000	76500 C	9.0	56.1F	10.3F
0202		I-295(9A) .1 MI. S. OF FT. CAROLINE RD.	S	31000	N	27500	58500 C	9.0	56.1F	10.3F
0203		SR 113 N. OF NB ON RAMP FROM MERRILL RD.	N	17000		0	17000 C	9.0	99.9W	2.6F
0204		I-295(9A) N. OF ATLANTIC BLVD.	S	38000	N	39500	77500 C	9.0	56.1F	10.3F
0205		I-295(9A) S. OF ATLANTIC BLVD.	S	43000	N	42000	85000 C	9.0	56.1F	10.3F
0206		I-295(9A) N. OF UNF DR.	S	53000	N	50500	103500 C	9.0	56.1F	10.3F
0207		I-295(9-A) N. OF SR 152	S	53000	N	52000	105000 C	9.0	56.1F	10.3F
0209		SR A1A N. OF 2ND ST.	N	8900	S	18500	27400 C	9.0	55.2F	2.1F
0211		RAMP SR 9-A SB TO SR 113 SB S.OF OFF RAMP TO MER	S	6800		0	6800 C	9.0	99.9W	2.6F
0216	T	SR-9A,0.7 MI S OF SR-105/HECKSCHER RD,DUVAL CO.	N	32552	S	42378	74930 C	9.0	56.7A	6.9A
0224		SR A1A 200' S. OF 1ST AVE. N.	S	16000	N	16500	32500 C	9.0	55.2F	2.1F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0235	T	SR-200/US-301,1.45 MI S OF NASSAU CO. LN,DUVAL C	N	2403	S	2380	4783 C	9.5	58.0A	26.4A
0236	T	SR-A1A,NORTH OF FT GEORGE RIVER,DUVAL CO.	N	2648	S	2674	5322 C	9.5	55.3A	4.7A
0279		SR 113 .4 MI. N. OF REGENCY SQ. BLVD.	N	14000	S	14000	28000 C	9.0	56.1F	1.6A
0282		SR 5 BELMONTE AVE. S. OF MARY ST.	N	3600		0	3600 C	9.0	99.9W	1.2F
0301		SR 10(ATLANTIC BLVD.) 300' W. OF SAN PABLO RD.	E	28500	W	28000	56500 C	9.0	55.2F	2.1F
0305		SR 212(BEACH BLVD.) .1 MI. E. OF KERNAN RD.	E	25000	W	23500	48500 C	9.0	55.2F	1.6F
0306		SR A1A 200' S. OF 16TH AVE. S.	S	19500	N	18500	38000 C	9.0	55.2F	1.6A
0328		SR 228 E. OF SR 200/US 301	E	3000	W	2500	5500 C	9.0	56.1F	15.0A
0330		WATER ST. .1 MI. E. OF JEFFERSON ST.	E	2000	W	3700	5700 C	9.0	56.1F	1.3F
0401		SR 23 (BRANNAN FIELD RD.) S. OF SR 134 (103RD ST	N	11000	S	10500	21500 C	9.0	56.1F	3.8F
0402		SR 23 (CECIL COMMERCE PKY) .5 MI. N. OF SR 134 (N	7200	S	6600	13800 C	9.0	56.1F	4.4A
0403		SR 23 (CECIL COMMERCE PKY) .5 MI. N. OF SR 228	N	6500	S	5300	11800 C	9.0	56.1F	3.8F
0404		SR 23 (CECIL COMMERCE PKY) .2 MI. N. OF NEW WORL	N	8200	S	7300	15500 C	9.0	56.1F	3.8F
0405		SR 23 .3 MI. N. OF NEW WORLD AVE (NB)	N	8200		0	8200 C	9.0	99.9W	3.8F
0507		SR 5/US 1 .2 MI. N. OF OLD ST. AUGUSTINE RD.	N	14500	S	14500	29000 C	9.0	56.1F	3.0F
0508		SR 21 350' N. OF WESCONNETT BLVD.	N	15500	S	15500	31000 C	9.0	56.1F	3.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0519		SR 10 W. OF RAILROAD AVE.	E 0	W 0	7600 C	9.0	56.1F	14.7F
0535		SR 5 300' N. OF DUNN AVE.	N 8600	S 9000	17600 C	9.0	56.1F	4.1F
0536		SR 10 .1 MI. W. OF UNIVERSITY BLVD.	E 17000	W 15500	32500 C	9.0	56.1F	2.1F
0539		SR 10 300' W. OF LANE AVE.	E 0	W 0	6900 C	9.0	56.1F	14.7F
0551		SR 228 (NORMANDY BLVD) E. OF SR 103(LANE AVE.)	E 10000	W 9400	19400 C	9.0	56.1F	6.6F
0552		SR 228(NORMANDY BLVD) 300' W. OF MEMORIAL PK. RD	E 17000	W 15500	32500 C	9.0	56.1F	6.6F
0561		SR 5 .2 MI. S. OF DUVAL RD.	N 5900	S 5400	11300 C	9.0	56.1F	4.1A
0564		SR 21 150' N. OF LEXINGTON AVE.	N 12000	S 12500	24500 C	9.0	56.1F	3.3F
0576		SR 10 100' W. OF ST. JOHNS BLUFF RD.	E 28000	W 30500	58500 C	9.0	55.2F	2.1F
0577		SR A1A N. OF DUDLEY ST.	N 14000	S 15000	29000 C	9.0	55.2F	2.1F
0578		SR 101 (MAYPORT RD.) .1 MI. N. OF SR A1A	N 6900	S 6800	13700 C	9.0	55.2F	2.1F
0580		SR 13 N. OF CROWN POINT RD.	N 23000	S 21500	44500 C	9.0	56.1F	1.2F
0591		SR 5(PHILLIPS HWY) .3 MI. N. OF EMERSON ST.	N 10500	S 11500	22000 C	9.0	56.1F	3.0F
0592		SR 5 (PHILLIPS HWY) .1 MI. S. OF PUTNAM AVE.	N 14000	S 12500	26500 C	9.0	56.1F	3.0F
0593		SR 5 (PHILLIPS HWY) .1 MI. SE OF BOWDEN RD.	N 14500	S 14500	29000 C	9.0	56.1F	3.0F
0594		SR 5(PHILLIPS HWY) 300' N. OF BAY MEADOWS RD.	N 21000	S 21000	42000 C	9.0	56.1F	4.3A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
=====	=====	=====	=====	=====	=====	=====	=====	=====
0595		SR 5(PHILLIPS HWY) .6 MI. S. OF SHAD RD.	N 18500	S 18000	36500 C	9.0	56.1F	3.0F
0596		SR 5(PHILLIPS HWY) 1.0 MI. SE OF SR 115	N 20000	S 19000	39000 C	9.0	56.1F	3.0F
0600		DUVAL RD. .1 MI. W. OF SR 5(HPMS)	E 5800E	W 5000E	10800 F	9.0	56.1F	1.3F
0606		SR 115 100' N. OF PINE AVE.	N 7300	S 6800	14100 C	9.0	56.1F	2.1F
0610		OTIS RD.(CR 119) 300' N. OF OLD PLANK RD.(HPMS)	0E	0E	2500 F	9.0	56.1F	1.3F
0612		SR 200/US 301 .3 MI. N. OF SR 228	N 8900	S 9100	18000 C	9.0	54.2F	25.8A
0622		SR 212 100' W. OF EAST RD.	E 13500	W 13000	26500 C	9.0	56.1F	1.6F
0626		SUNBEAM RD. .1 MI. E. OF SAN JOSE BLVD.(HPMS)	0E	0E	20500 6	9.0	56.1F	1.3F
0638		OLD MIDDLEBURG RD. .1 MI. N. OF 103RD ST.	N 0	S 0	11000 C	9.0	56.1F	1.3F
0640		SR 111 (CASSATT AVE) N. OF SR 21	N 3900	S 4500	8400 C	9.0	56.1F	10.2F
0642		SR 111 (EDGEWOOD AVE.) .2 MI. S. OF SR 10	N 11500	S 12500	24000 C	9.0	56.1F	10.2F
0643		SR 111 (EDGEWOOD AVE.) 500' N. OF SR 10	N 10000	S 10500	20500 C	9.0	56.1F	10.2F
0645		SR 111 (EDGEWOOD AVE) 300' E. OF SR 15	N 7200	S 6800	14000 C	9.0	56.1F	10.2F
0649		SR 111 (EDGEWOOD AVE) W. OF SR 115	N 8300	S 8900	17200 C	9.0	56.1F	10.2F
0650		SR 21 200' N. OF 103RD ST.	N 13000	S 13000	26000 C	9.0	56.1F	3.3F
0653		SR 212 (BEACH BLVD) 250' W. OF UNIVERSITY BLVD.	E 14500	W 13000	27500 C	9.0	56.1F	1.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0701		SR 10 (BEAVER ST.) E. OF MAIN ST.	E 2100	W 2900	5000 C	9.0	56.1F	14.7F
0702		SR 5 (MAIN ST) S. OF BAY ST. (ONE WAY)	S 11500	0	11500 C	9.0	99.9W	1.8F
0718		SR 15 400' S. OF RICHARDSON RD.	N 13000	S 13500	26500 C	9.0	56.1F	8.5F
0730		I-295(9-A) S. OF SR 152 (BAYMEADOWS RD.)	S 51000	N 48000	99000 C	9.0	56.1F	10.3F
0731		I-295(9-A) E. OF I-95	S 24000	N 28500	52500 C	9.0	56.1F	10.3F
0732		I-295(9-A) S. OF SR 202 (JTB)	S 58500	N 59500	118000 C	9.0	56.1F	10.3F
0733		I-295(9A) 1 MI. N. OF BEACH BLVD.	S 47500	N 45500	93000 C	9.0	56.1F	10.3F
0734		I-295(9A) .5 MI. S. OF UNF DR.	S 54000	N 50500	104500 C	9.0	56.1F	10.3F
0735		SR 5/US 1 .1 MI. S. OF OLD ST. AUGUSTINE RD.	N 13500	S 13500	27000 C	9.0	56.1F	3.0F
0736		SR 228 .1 MI. W. OF YELLOW WATER RD.	E 0	W 0	11000 C	9.0	56.1F	6.6F
0813		SR 10A .3 MI. E. OF UNIVERSITY BLVD.	E 24500	W 27000	51500 C	9.0	56.1F	1.6F
0816		SR 10A .25 MI. E. OF ARLINGTON RD.	E 30000	W 28000	58000 C	9.0	56.1F	1.6F
0818		SR 115 250' N. OF SR 10	N 20500	S 21500	42000 C	9.0	56.1F	1.6F
0819		SR 115 400' S. OF SR 10	N 18500	S 17000	35500 C	9.0	56.1F	1.6F
0820		SR 115 S. OF EISENHOWER RD.	N 19000	S 17500	36500 C	9.0	56.1F	1.6F
0821		SR 115 N. OF JUPITER COURT	N 21500	S 20500	42000 C	9.0	56.1F	1.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0825		SR 111 S. OF PARK ST.	N 7500	S 7900	15400 C	9.0	56.1F	10.2F
0827		SR A1A .1 MI. N. OF SR 101	N 6200	S 7000	13200 C	9.0	55.2F	2.6F
0828		SR A1A .6 MI. N. OF BAYSHORE DR.	N 3600	S 2700	6300 C	9.0	56.1F	3.2A
0830		SR A1A S. OF SEAGATE AVE.	S 13500	N 13500	27000 C	9.0	55.2F	2.1F
0832		I-10 3.5 MI. E. OF CHAFFEE RD.	E 40000	W 39000	79000 C	9.0	55.0F	13.6F
0835		SR 109 100' N. OF ARLINGTON RD.	N 13500	S 14000	27500 C	9.0	56.1F	2.1F
0836		SR 109 100' S. OF BAYWOOD TERR.	N 11000	S 12000	23000 C	9.0	56.1F	2.1A
0837		SR 109 300' N. OF JUSTINA TERR.	N 8500	S 9100	17600 C	9.0	56.1F	2.1F
0838		SR 109 100' S. OF LOS SANTOS DR.	N 16500	S 16000	32500 C	9.0	56.1F	2.1F
0839		SR 103 (LANE AVE)100' N. OF SR 228 (NORMANDY BLV	N 10500	S 11000	21500 C	9.0	56.1F	1.9F
0840		SR 103 S. OF US 90	N 8000	S 8100	16100 C	9.0	56.1F	1.9F
0841		LANE AVE. N. OF SR 10 (US 90)	N 6200	S 6200	12400 C	9.0	56.1F	2.1F
0842		LANE AVE .1 MI. S. OF OLD KINGS RD.	N 0	S 0	7000 C	9.0	56.1F	1.3F
0843		SOUTEL DR. .1 MI. E. OF US 1 (HPMS)	E 0	W 0	12500 C	9.0	56.1F	1.3F
0847		MONCRIEF RD. S. OF EDGEWOOD AVE. (HPMS)	E 6500	W 6200	12700 C	9.0	56.1F	2.1F
0848		LENOX AVE. N. OF SR 228 (NORMANDY BLVD.)	E 4800	W 4200	9000 C	9.0	56.1F	2.1F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0851		SR 111 (CASSAT AVE.) 150' N. OF I-10	N	11000	S	12500	23500 C	9.0	56.1F	10.2F
0852		SR 109 100' S. OF SR 10A	N	9800	S	7700	17500 C	9.0	56.1F	2.6F
0853		CESERY BLVD. .1 MI. N. OF ARLINGTON EXP.	N	8600	S	6700	15300 C	9.0	56.1F	2.1F
0854		ARLINGTON RD.150' E. OF UNIVERSITY BLVD. (HPMS)	E	2500	W	2700	5200 C	9.0	56.1F	2.1F
0855		ROGERO RD. .1 MI. S. OF MERRILL RD.(HPMS)	N	6800E	S	5900E	12700 F	9.0	56.1F	1.3F
0858		ARLINGTON RD. 400' N. OF SR 10-A)(HPMS)	N	8700	S	8700	17400 C	9.0	56.1F	2.1F
0860		I-95 500' N. OF BAY MEADOWS RD.	N	58500	S	59500	118000 C	9.0	53.6F	13.6F
0861		I-95 500' S. OF BAY MEADOWS RD.	N	48500	S	47500	96000 C	9.0	53.6F	13.6F
0862		SR 115 N. OF BELLE RIVE DR.	N	28000	S	26000	54000 C	9.0	56.1F	1.6F
0864		I-95 .5 MI S. OF SR 5/US 1	N	63000	S	61500	124500 C	9.0	53.6F	8.4F
0867		SR 111 E. OF OF SR 115	N	6700	S	7600	14300 C	9.0	56.1F	10.2F
0868		SR 111 W. END TROUT RIVER BRIDGE	N	5600	S	5800	11400 C	9.0	56.1F	10.2F
0869		SR 109 150' N. OF SR 10	N	14500	S	13500	28000 C	9.0	56.1F	2.6F
0870		SR 109 150' S. OF SR 10	N	11500	S	12000	23500 C	9.0	56.1F	2.6F
0872		SR 109 150' S. OF SR 212	N	15500	S	18000	33500 C	9.0	56.1F	2.6F
0873		SR 109 300' N. OF I-95	N	19500	S	20000	39500 C	9.0	56.1F	2.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0874		SR 109 300' SW OF I-95	N	20000	S	23500	43500 C	9.0	56.1F	2.6F
0875		SR 109 300' NE OF POWERS AVE.	E	25000	W	24500	49500 C	9.0	56.1F	2.6F
0876		SR 109 (UNIVERSITY BLVD) E. OF SR 13	E	5400	W	6000	11400 C	9.0	56.1F	2.6F
0877		CHAFFEE RD. 200' S. OF SR 10 (BEAVER ST.)	N	8300	S	8700	17000 C	9.0	56.1F	2.1F
0878		CHAFFEE RD.(CR 115) .6 MI. S. OF I-10	N	6700	S	6300	13000 C	9.0	56.1F	3.1A
0879		SR 126 (EMERSON ST) 100' E. OF SR 13	E	4600	W	4100	8700 C	9.0	56.1F	2.6F
0880		SR 126 (EMERSON ST) 100' W. OF SR 5 (PHILLIPS HW	E	8700	W	7800	16500 C	9.0	56.1F	2.6F
0881		SR 126 (EMERSON ST) 100' E. OF SR 5 (PHILLIPS HW	E	14500	W	13500	28000 C	9.0	56.1F	2.6F
0882		SR 126 (EMERSON ST) 100' E. OF I-95	E	17000	W	16500	33500 C	9.0	56.1F	2.6F
0883		SR 104 200' E. OF I-95	E	7500	W	6700	14200 C	9.0	56.1F	7.5A
0884		SR 115 100' N. OF IDA ST.	N	14000	S	15000	29000 C	9.0	56.1F	2.1F
0885		SR 21 100' N. OF PARK ST.	N	11000	S	13000	24000 C	9.0	56.1F	3.3F
0886		I-95 .5 MI. N. OF DUNN AVE.	N	36500	S	38000	74500 C	9.0	53.6F	13.6F
0887		I-95 .5 MI. S. OF SR 102	N	54500	S	53000	107500 C	9.0	53.6F	13.6F
0888		I-95 1 MI. N. OF OWENS ROAD	N	38000	S	40500	78500 C	9.0	53.6F	13.6F
0893		SR 102(AIRPORT RD.) AT LITTLE CEDAR CREEK BRIDGE	E	9900	W	10500	20400 C	9.0	56.1F	1.3A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0894		I-295(9A) 1 MI. NW OF I-95	N	68000	S	69000	137000 C	9.0	53.6F	13.6F
0895		I-295 BETWEEN ST. AUGUSTINE RD. AND SR 13	N	64000	S	64500	128500 C	9.0	53.6F	13.6F
0897		I-295 1 MI. NW OF SR 15(US 17)	N	24000	S	37500	61500 C	9.0	53.6F	7.8F
0898		I-295 N. OF COLLINS RD.	N	27500	S	26500	54000 C	9.0	53.6F	13.6F
0899		I-295 .7 MI. N. OF 103RD ST.	N	65000	S	62500	127500 C	9.0	56.1F	7.4P
0900		I-295 1 MI. S. OF SR 228 (NORMANDY BLVD)	N	62500	S	63000	125500 C	9.0	53.6F	13.6F
0901		I-295 N. SR 228 (NORMANDY BLVD)	N	63000	S	63500	126500 C	9.0	53.6F	6.9A
0902		I-295 1 MI. N. OF I-10	N	42500	S	39500	82000 C	9.0	53.6F	12.7F
0904		I-295 1 MI. N. OF PRITCHARD RD.	N	37000	S	37500	74500 C	9.0	53.6F	12.7F
0905		I-295 1 MI. N. OF SR 15 (US 1)	N	33000	S	31500	64500 C	9.0	53.6F	12.7F
0906		I-295 BETWEEN DUNN AVE. AND SR 115	N	30500	S	30000	60500 C	9.0	53.6F	12.7F
0907		I-295 1 MI. NE OF SR 115 (LEM TURNER RD.)	N	35000	S	33500	68500 C	9.0	53.6F	12.7F
0908		I-295(9A) BETWEEN I-95 AND SR 5(US 17)	S	35000	N	36000	71000 C	9.0	56.1F	12.7F
0910		HERLONG RD. .1 MI. E. OF SR 228	E	2500	W	2500	5000 C	9.0	56.1F	1.9F
0911		SR 228 (NORMANDY BLVD) .2 MI. NE OF HERLONG RD.	E	9400	W	9200	18600 C	9.0	56.1F	6.6F
0912		SR 228 (NORMANDY BLVD) .2 MI. SW OF HERLONG RD.	E	12000	W	11000	23000 C	9.0	56.1F	3.0A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0913		I-295 N. OF DUVAL RD.	N	38500	S	37000	75500 C	9.0	53.6F	12.7F
0914		I-295 N. OF BLANDING BLVD.	N	29000	S	30000	59000 C	9.0	53.6F	7.8F
0918		SR 115 S. OF GATE PARKWAY	N	23500	S	26500	50000 C	9.0	56.1F	1.6F
0919		SR 115 300' S. OF DEERWOOD PARK BLVD.	N	31000	S	23500	54500 C	9.0	56.1F	1.6F
0920		SR 202 E. OF SR 115	E	52000	W	55500	107500 C	9.0	56.1F	4.7F
0921		SR 202 .5 MI. E. OF HODGES BLVD.	E	54500	W	57000	111500 C	9.0	55.2F	4.7F
0922		SR 202(JTB) .1 MI. NE OF SR 5	E	23500	W	21000	44500 C	9.0	56.1F	4.7F
0924		SR 202(JTB) AT POTTSBURG CREEK BRIDGE	E	46500	W	49000	95500 C	9.0	56.1F	2.3A
0925		SR 134 (103RD ST) E. OF NEW WORLD AVE.	E	4000	W	3900	7900 C	9.0	56.1F	4.4F
0926		SR 134 (103 RD ST.) .1 MI. E. OF CHAFFEE RD.	E	6100	W	6100	12200 C	9.0	56.1F	4.4A
0927		SR 134 .2 MI. E. OF OLD MIDDLEBURG RD.	E	20500	W	21500	42000 C	9.0	56.1F	4.4F
0928		SR 134(103RD ST.) W. OF FIRESTONE RD.	E	24000	W	22000	46000 C	9.0	56.1F	4.4F
0929		SR 134 (103 RD ST) .1 MI. E OF I-295	E	18500	W	18000	36500 C	9.0	56.1F	4.4F
0930		SR 134 (103 RD ST) .1 MI. W. OF SR 21	E	14500	W	14500	29000 C	9.0	56.1F	4.4F
0931		SR 134 (103 RD ST) 200' E. OF WESCONNETT BLVD.	E	10500	W	11000	21500 C	9.0	56.1F	4.4F
0932		SR 134 (103 RD ST) .1 MI. W. OF SR 15	E	9800	W	10000	19800 C	9.0	56.1F	4.4F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0933		SR 103 (LANE AVE.) 200' S. OF SAN JUAN AVE.	N 6700	S 8000	14700 C	9.0	56.1F	1.9F
0934		SR 103 (LANE AVE.) .1 MI. N. OF SAN JUAN AVE.	N 8300	S 8700	17000 C	9.0	56.1F	1.9F
0935		SR 103 (LANE AVE) 300' N. OF HYDE GROVE AVE.	N 7700	S 8100	15800 C	9.0	56.1F	1.9F
0936		SR 103 (LANE AVE) .1 S. OF LENOX AVE.	N 9600	S 9500	19100 C	9.0	56.1F	1.9F
0937		SR 128 (SAN JUAN) .1 E. OF SR 103	E 6600	W 7300	13900 C	9.0	56.1F	1.9F
0938		SR 128 (SAN JUAN) 300' W. OF SR 111	E 7100	W 7000	14100 C	9.0	56.1F	1.9F
0939		SR 128 (SAN JUAN) 300' E. OF SR 111	E 6800	W 6700	13500 C	9.0	56.1F	1.9F
0940		SR 128 (SAN JUAN) 300' W. OF SR 15	E 9000	W 8200	17200 C	9.0	56.1F	1.9F
0941		SR 128 (SAN JUAN) 300' E. OF SR 15	E 3400	W 4400	7800 C	9.0	56.1F	1.9F
0942		SR 212 (BEACH BLVD) .2 MI. W. OF SR 115	E 30000	W 29000	59000 C	9.0	56.1F	1.6F
0943		SR 212 (BEACH BLVD.) W. OF BEACHWOOD BLVD.	E 32000	W 30500	62500 C	9.0	55.2F	1.6F
0944		SR 212 (BEACH BLVD) .2 MI. W. OF SAN PABLO RD.	E 23500	W 22500	46000 C	9.0	55.2F	1.6F
0945		SR 212 (BEACH BLVD.) .1 MI. E. OF HUFFMAN RD.	E 26000	W 24500	50500 C	9.0	55.2F	1.6F
0946		SR 212 (BEACH BLVD) .3 MI. W. OF ST JOHN BLUFF R	E 33500	W 31500	65000 C	9.0	55.2F	1.6F
0947		SR 103 .1 MI. N. OF WILSON BLVD.	N 6800	S 8200	15000 C	9.0	56.1F	1.9F
0948		SR 208 (WILSON BLVD.)W. OF FIRESTONE RD.	E 12000	W 12500	24500 C	9.0	56.1F	2.5A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0949		SR 202(JTB) E. OF ST. JOHNS BLUFF RD.	E 63500	W 64500	128000 C	9.0	55.2F	4.7F
0950		SR 202(JTB) 1.9 MI. E. OF SAN PABLO RD.	E 38500	W 40500	79000 C	9.0	55.2F	4.7F
0951		SR 202(JTB) E. OF SOUTH BEACH BLVD.	E 20500	W 23000	43500 C	9.0	55.2F	4.7F
0952		SR 15 500' N. OF SOUTEL DR.	N 8800	S 9100	17900 C	9.0	56.1F	8.5F
0953		SR 15 200' N. OF WAGNER RD.	N 11000	S 10500	21500 C	9.0	56.1F	8.5F
0954		SR 129 (MCDUFF AVE.) BETWEEN DELLWOOD & ERNEST	N 4300	S 4400	8700 C	9.0	56.1F	2.3A
0955		SR 129 (MCDUFF AVE) 100' S OF I-10 RAMPS	E 0	W 0	9500 C	9.0	56.1F	2.1F
0956		SR 122 (GOLFAIR BLVD.) E. OF DAVIS ST.	E 10000	W 8600	18600 C	9.0	56.1F	3.4F
0957		SR 117 200' S. OF WOODBINE BLVD.	0E	0E	18500 X	9.0	56.1F	3.4F
0959		CR 163 (BUSCH DR.) .1 MI. E. OF SR 5	E 0	W 0	3500 C	9.0	56.1F	4.6F
0960		SR 104 .1 E. OF SR 15	E 0	W 0	9700 C	9.0	56.1F	4.6F
0961		SR 104 200' W. OF I-295	E 7000	W 6700	13700 C	9.0	56.1F	4.6F
0962		SR 104 300' E. OF I-295 RAMPS	E 10000	W 9300	19300 C	9.0	56.1F	4.6F
0963		SR 104 100' W. OF SR 115	E 8400	W 7800	16200 C	9.0	56.1F	4.6F
0964		SR 104 E. OF SR 115	E 8800	W 9200	18000 C	9.0	56.1F	4.6F
0965		SR 104 300' W. OF BISCAYNE BLVD.	E 9000	W 9500	18500 C	9.0	56.1F	1.6A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0966		SR 104 .1 MI. E. OF BISCAYNE BLVD.	E 14000	W 14000	28000 C	9.0	56.1F	4.6F
0967		SR 104 900' W. OF I-95	E 15500	W 15500	31000 C	9.0	56.1F	4.6F
0968		SR 113 AT N. END OF BR. OVER SR 115(N. OF RAMPS)	N 24500	S 23500	48000 C	9.0	56.1F	2.6F
0969		SR 152 .1 MI. W. OF SR 115	E 12000	W 11000	23000 C	9.0	56.1F	1.3F
0970		SR 152 100' E. OF I-95 RAMPS	E 23500	W 28000	51500 C	9.0	56.1F	1.3F
0971		SR 152 100' W. OF I-95 RAMPS	E 22500	W 22500	45000 C	9.0	56.1F	1.3F
0972		SR 152 .1 MI. E. OF SR 5	E 15500	W 15500	31000 C	9.0	56.1F	1.3F
0973		SR 152 300' W. OF SR 5	E 19000	W 20000	39000 C	9.0	56.1F	1.3F
0974		SR 152 E. OF CRAVEN RD.	E 10500	W 11000	21500 C	9.0	56.1F	1.3A
0975		BAY ST. - 100 FT. W. OF OCEAN ST. *(ONE-WAY WB)	0E	0E	6500 T	9.0	99.9W	1.8F
0976		SR 228 (NORMANDY BLVD.) 300' E. OF FOUR ACRE RD.	E 17000	W 15500	32500 C	9.0	56.1F	6.6F
0977		MONROE ST. 100' W. OF NEWNAN STREET	E 2300	0	2300 C	9.0	99.9W	0.8A
0978		ADAMS ST. 100' W. OF NEWNAN ST.	W 6400	0	6400 C	9.0	99.9W	2.7A
0979		COLLEGE ST. .1 MI. E. OF POST ST.	E 0	W 0	2600 C	9.0	56.1F	1.3F
0980		US 17 300' SW OF MCDUFF AVE.	N 1500	S 1300	2800 C	9.0	56.1F	2.3A
0983		SR 122 300' W. OF SR 5 (MAIN ST.)	E 0	W 0	2600 C	9.0	56.1F	3.4F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0984		SR 122 150' W. OF PEARL ST.	E 2700	W 1900	4600 C	9.0	56.1F	3.4A
0985		SR 115 .3 MI. S. OF RAMP FROM I-95	N 17500	S 18000	35500 C	9.0	56.1F	1.6F
0988		SR 10 W. OF LEE RD.	E 26000	W 26000	52000 C	9.0	56.1F	2.1F
0991		SR 109 300' NE OF OLD ST. AUGUSTINE RD.	N 13000	S 14500	27500 C	9.0	56.1F	2.6F
1002		SR 5(MAIN ST.) S. OF BEAVER ST. (ONE WAY)	S 10000	0	10000 C	9.0	99.9W	1.8F
1003		SR 5 (MAIN ST.) N. OF BEAVER ST. (ONE WAY)	S 10500	0	10500 C	9.0	99.9W	1.8F
1006		SR 228 E. OF JAX EQUESTRIAN CENTER	E 7000	W 6400	13400 C	9.0	56.1F	6.6F
1007		SR 202 E. OF KERNAN BLVD.	E 48000	W 54500	102500 C	9.0	55.2F	4.7F
1008		SR 202 E. OF GATE PARKWAY	E 59500	W 69000	128500 C	9.0	56.1F	4.7F
1010		SAN PABLO RD..1 MI. S. OF ATLANTIC BLVD.(HPMS)	N 0	S 0	19500 C	9.0	55.2F	1.3F
1012		MCDUFF AVE. .1 MI. S. OF SR 10/US 90(HPMS)	0E	0E	11500 R	9.0	56.1F	1.3F
1015		SR 152 (BAYMEADOWS RD.) 200' E. OF SOUTHSIDE BLV	E 14500	W 14500	29000 C	9.0	56.1F	1.3F
1016		SR 152 (BAYMEADOWS RD.) W. I-295(9A)	E 13500	W 12500	26000 C	9.0	56.1F	1.3F
1028		SR 116(WONDERWOOD DR.) E. OF REGAS DR.	E 6000	W 7100	13100 C	9.0	56.1F	1.4A
2001		SR 228(FORSTH ST.RAMP) 100' E. OF LIBERTY ST.	E 3500	0	3500 C	9.0	99.9W	1.8A
2002		SR 228(ADAMS ST.RAMP)100' E. OF LIBERITY ST.	W 4600	0	4600 C	9.0	99.9W	1.9A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2003		SR 228 (MONROE ST. RAMP) 100' W. OF WASHINGTON ST.	E 3500	0	3500 C	9.0	99.9W	1.3A
2004		SR 228 ((DUVAL ST. RAMP) 100' E. OF WASHINGTON	W 3300	0	3300 C	9.0	99.9W	1.1A
2109		I-95 EXIT RAMPS TO FULLER WARREN BR. FROM I-95 N	N 29000	S 34500	63500 C	9.0	53.6F	8.4F
2121		I-95 N. OF MONROE ST.	N 69500	S 74000	143500 C	9.0	53.6F	6.5A
2122		RAMP I-10 EB TO I-95 NB (SECONDARY RAMP)	E 13000	0	13000 C	9.0	99.9W	5.0F
2123		RAMP I-10 EB TO I-95 NB (SECONDARY RAMP)	E 32500	0	32500 C	9.0	99.9W	5.0F
2124		RAMP I-10 EB TO I-95 SB (PRIMARY RAMP)	E 21000	0	21000 C	9.0	99.9W	5.0F
2125		RAMP I-10 EB TO I-95 SB (SECONDARY RAMP)	E 19000	0	19000 C	9.0	99.9W	5.0F
2126		I-95 SB OFF RAMP TO STOCKTON ST.	S 5000	0	5000 C	9.0	99.9W	5.0F
2127		I-95 NB TO I-10 WB OFF RAMP TO STOCKTON ST.	W 2300	0	2300 C	9.0	99.9W	5.0F
2128		I-95 NB RAMP TO I-10 WB	W 39500	0	39500 C	9.0	99.9W	5.0F
2129		I-95 SB OFF RAMP TO I-10 WB (SECONDARY RAMP)	W 36000	0	36000 C	9.0	99.9W	5.0F
2130		I-95 SB TO WB ON RAMP FROM FOREST ST.	W 4500	0	4500 C	9.0	99.9W	5.0F
2131		ON RAMP FOREST ST. TO I-10 WB	W 5000	0	5000 C	9.0	99.9W	5.0F
2132		OFF RAMP I-10 EB TO FOREST ST.	E 4500	0	4500 C	9.0	99.9W	5.0F
2133		ON RAMP FOREST ST. TO I-95 NB	N 3600	0	3600 C	9.0	99.9W	5.0F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2134		RAMP I-95 NB TO SR 9A NB (S. INTERCHANGE)	N 5400	0	5400 C	9.0	99.9W	13.6F
2135		SR 13 N. OF I-95 AND SR.5(RAMPS TO ACOSTA BR.)	N 11500E	S 11000E	22500 F	9.0	56.1F	1.2F
2136		RAMP I-95 SB TO I-295 EB(S. INTERCHANGE)	S 2700	0	2700 C	9.0	99.9W	13.6F
2137		RAMP I-95 SB TO I-295 EB (S. INTERCHANGE)	S 22500	0	22500 C	9.0	99.9W	13.6F
2138		RAMP I-295 EB TO I-95 NB (S. INTERCHANGE)	E 19500	0	19500 C	9.0	99.9W	13.6F
2139		RAMP I-295 (9A SB) TO I-95 SB (S. INTERCHANGE)	S 2600	0	2600 C	9.0	99.9W	13.6F
2141		RAMP I-295 SB (9A SB) TO I-95 NB (S. INTERCHANG	S 2400	0	2400 C	9.0	99.9W	13.6F
2142		RAMP I-95 SB TO I-295 SB (9A SB) (N. INTERCHANG	S 13500	0	13500 C	9.0	99.9W	13.6F
2146		SR 5(PHILLIPS HWY) RAMPS TO AND FROM I-95	N 8800E	S 8400E	17200 F	9.0	56.1F	3.0F
2147		BEACH BLVD. EB 100' W. OF SOUTH SHORES BLVD.	E 16500	W 13500	30000 C	9.0	56.1F	2.1F
2156		I-95 BETWEEN KINGS RD. AND 8TH. ST.	N 62500	S 63000	125500 C	9.0	53.6F	8.4F
2159		I-95 BETWEEN 8TH. ST. AND MLK BLVD.	N 67000	S 66000	133000 C	9.0	53.6F	8.4F
2163		I-95 BETW.MLK BLVD. AND GOLFAIR BLVD.	N 63500	S 63500	127000 C	9.0	53.6F	8.4F
2170		I-95 BETW. SR-115 AND EDGEWOOD AVE. (SR 111)	N 59000	S 52500	111500 C	9.0	53.6F	10.2A
2176		SR 105 (HECKSCHER DR.) BETW. I-95 & SR 5/US 17	E 7700	W 6800	14500 C	9.0	56.1F	15.5F
2178		SR 105(HECKSCHER DR) 0.1 MI. W. OF CR 163	E 7300	W 7100	14400 C	9.0	56.1F	15.5F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2188		I-95 OFF RAMPTO SR 105 EB (ZOO PKWY)	E 6000	0	6000 C	9.0	99.9W	15.5F
2217		ALT. US 17 S. OF I-10	N 26000	S 27000	53000 C	9.0	56.1F	1.4A
2219		I-10 BETW. MCDUFF AVE. AND ALT. US. 17	E 70500	W 68000	138500 C	9.0	55.0F	5.0F
2232		I-10 BETW. LANE AVE. AND CASSAT AVE.	E 57000	W 59500	116500 C	9.0	55.0F	6.8P
2235		I-10 W. OF LENOX AVE. BRIDGE	E 62000	W 62500	124500 C	9.0	55.0F	5.0F
2237		I-10 BETW. LUNA ST. AND MCDUFF AVE.	E 67000	W 67000	134000 C	9.0	55.0F	5.0F
2241		I-95 BETW SR 105(HECKCHER DR.) AND CLARK RD.	N 42500	S 45500	88000 C	9.0	53.6F	8.4F
2244		I-95 S. OF DUNN AVE.	N 41000	S 41500	82500 C	9.0	53.6F	8.4F
2256		MLK BLVD. (20 ST. EXP.) W. OF DIVISION ST.	E 12000	W 10500	22500 C	9.0	56.1F	10.5A
2257		MLK BLVD. BET. DIVISON ST. AND CANAL ST.	E 12500	W 12000	24500 C	9.0	56.1F	10.5F
2259		MLK BLVD. BET. MYRTLE AVE. & MONCRIEF RD.	E 18000	W 16000	34000 C	9.0	56.1F	10.5F
2267		MLK BLVD. BETW. I-95 & BOULEVARD ST.	E 30500	W 31000	61500 C	9.0	56.1F	10.5F
2270		MLK BLVD. E. OF BOULEVARD ST.	E 29000	W 24500	53500 C	9.0	56.1F	10.5F
2273		MLK BLVD. E. OF US 17 (MAIN ST.)	E 29000	W 28000	57000 C	9.0	56.1F	10.5F
2277		MLK BLVD. (20 ST. EXP) W. OF PHOENIX AVE.	E 28500	W 32000	60500 C	9.0	56.1F	10.5F
2280		HAINES ST. AT 17TH ST. OVERPASS	N 27500	S 26000	53500 C	9.0	56.1F	10.5F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
====	====	=====	=====	=====	=====	=====	=====	=====
2283		HAINES ST. BETWEEN 8TH. ST. AND 3RD. ST.	N 24000	S 23000	47000 C	9.0	56.1F	10.5F
2293		ALT. US 90 E. OF SPEARING ST.	E 24000	W 26000	50000 C	9.0	56.1F	1.6F
2298		HAINES ST. N. OF DUVAL ST. N.OF HAINES ST.RAMP	N 2000	S 4500	6500 C	9.0	56.1F	10.5F
2344		ARLINGTON EXP. E. OF TOWNSEND BLVD.	E 30000	W 29500	59500 C	9.0	56.1F	1.6F
2345		ARLINGTON EXP. E. OF ARLINGWOOD AVE.	E 30000	W 31500	61500 C	9.0	56.1F	1.6F
2353		I-95 BETW. BOWDEN RD. & SR 202(JTB)	N 75000	S 69000	144000 C	9.0	53.6F	8.4F
2355		I-95 BETW. UNIVERSTY BLVD. & BOWDEN RD.	N 63500	S 59500	123000 C	9.0	53.6F	7.8F
2361		I-95 BETWN. EMERSON ST. & SR 5/US 1	N 69000	S 67500	136500 C	9.0	53.6F	13.6F
2374		HART BR EXP.BETWEEN DUVAL ST. & HAINES ST.CONNE	N 14000	S 11500	25500 C	9.0	56.1F	10.5F
2387		ON HART B EXP BETWEEN ATLANTIC BLVD.AND EMERSON	N 19500	S 24500	44000 C	9.0	56.1F	10.5F
2389		RAMP EMERSON ST. NB TO NB HART EXP.	N 12500	0	12500 C	9.0	99.9W	2.1F
2390		RAMP HART EXP SB TO EMERSON ST. SB	S 9000	0	9000 C	9.0	99.9W	2.1F
2394		EMERSON ST. S. OF BEACH BLVD.	N 14000	S 11500	25500 C	9.0	56.1F	2.1F
2396		HART BRIDGE EXP BETWEEN EMERSON ST. & UNIV BLVD.	N 15500	S 16000	31500 C	9.0	56.1F	10.5F
2403		ON HART B EXP BETWEEN UNIV.BLVD. AND BEACH BLVD.	N 14500	S 14500	29000 C	9.0	56.1F	10.5F
2600		RAMP I-10 EB TO LANE AVE.	E 6300	0	6300 C	9.0	99.9W	5.0F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====	
2601		RAMP LANE AVE. TO I-10 WB	W	6800	0	6800 C	9.0	99.9W	5.0F
2602		RAMP LANE AVE. TO I-10 EB	E	6400	0	6400 C	9.0	99.9W	5.0F
2603		RAMP I-10 WB TO LANE AVE.	W	7200	0	7200 C	9.0	99.9W	5.0F
2604		RAMP I-10 EB TO CASSAT AVE.	E	6200	0	6200 C	9.0	99.9W	5.0F
2605		RAMP CASSAT AVE. TO I-10 EB	E	8200	0	8200 C	9.0	99.9W	5.0F
2606		RAMP CASSAT AVE. TO I-10 WB	W	6400	0	6400 C	9.0	99.9W	5.0F
2607		RAMP I-10 WB TO CASSAT AVE.	W	7500	0	7500 C	9.0	99.9W	5.0F
2608		RAMP LUNA ST. TO I-10 EB	E	4000	0	4000 C	9.0	99.9W	5.0F
2609		RAMP I-10 WB TO LUNA ST.	W	3300	0	3300 C	9.0	99.9W	5.0F
2610		RAMP I-10 EB TO MCDUFF AVE.	E	3700	0	3700 C	9.0	99.9W	5.0F
2611		RAMP MCDUFF AVE. TO I-10 WB	W	3900	0	3900 C	9.0	99.9W	5.0F
2612		RAMP MCDUFF AVE TO I-10 EB	E	5300	0	5300 C	9.0	99.9W	5.0F
2613		RAMP I-10 WB TO MCDUFF AVE.	W	5700	0	5700 C	9.0	99.9W	5.0F
2616		RAMP I-10 EB TO STOCKTON ST.	E	4900	0	4900 C	9.0	99.9W	5.0F
2617		RAMP STOCKTON ST. TO I-10 EB	E	7600	0	7600 C	9.0	99.9W	5.0F
2630		RAMP MAIN ST BRIDGE SB TO RIVERPLACE BLVD.	0E	0E	7600 F	9.5	99.9W	1.2F	

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====
2632		SR 5 RAMPS FROM SR 5 TO I-95	N 23000	S 24000	47000 C	9.0	56.1F	3.0F
2647		RAMP I-95 NB TO 8TH ST.	N 7700	0	7700 C	9.0	99.9W	8.4F
2648		RAMP 8TH ST. TO I-95 NB.	N 5900	0	5900 C	9.0	99.9W	8.4F
2649		RAMP 8 ST. TO I-95 SB.	S 7300	0	7300 C	9.0	99.9W	8.4F
2650		RAMP I-95 SB TO 8TH. ST.	S 4800	0	4800 C	9.0	99.9W	8.4F
2651		RAMP MLK BLVD. EB TO I-95 SB	S 6800	0	6800 C	9.0	99.9W	8.4F
2652		RAMP I-95 SB TO MLK BLVD. EB	S 10500	0	10500 C	9.0	99.9W	8.4F
2656		RAMP I-95 NB TO MLK BLVD. EB	N 7700	0	7700 C	9.0	99.9W	8.4F
2657		RAMP MLK BLVD WB TO I-95 SB	S 6800	0	6800 C	9.0	99.9W	8.4F
2658		RAMP I-95 NB TO MLK BLVD. WB	N 5200	0	5200 C	9.0	99.9W	8.4F
2659		RAMP MLK BLVD. WB TO I-95 NB	N 16000	0	16000 C	9.0	99.9W	8.4F
2660		RAMP I-95 SB TO MLK BLVD. WB	S 3000	0	3000 C	9.0	99.9W	8.4F
2661		RAMP GOLFAIR BLVD. TO I-95 SB	S 7900	0	7900 C	9.0	99.9W	8.4F
2662		RAMP I-95 NB TO GOLFAIR BLVD.	N 9200	0	9200 C	9.0	99.9W	8.4F
2663		RAMP GOLFAIR BLVD. TO I-95 NB	N 2400	0	2400 C	9.0	99.9W	8.4F
2664		RAMP I-95 SB TO GOLFAIR BLVD.	S 2700	0	2700 C	9.0	99.9W	8.4F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
====	====	=====	=====	=====	=====	=====	=====	=====
2665		RAMP I-95 NB TO SR 115 (LEM TURNER)	N 1300	0	1300 C	9.0	99.9W	8.4F
2666		RAMP I-95 NB TO SR 115 NW(LEM TURNER)	N 9500	0	9500 C	9.0	99.9W	8.4F
2667		RAMP SR 115 (LEM TURNER) TO I-95 NB	N 2100	0	2100 C	9.0	99.9W	8.4F
2669		RAMP SR 115(LEM TURNER) TO I-95 SB	S 12000	0	12000 C	9.0	99.9W	8.4F
2670		RAMP I-95 SB TO SR 115 (LEM TURNER RD)	S 1800	0	1800 C	9.0	99.9W	8.4F
2671		RAMP I-95 NB TO EDGEWOOD AVE.	N 3700	0	3700 C	9.0	99.9W	8.4F
2672		RAMP EDGEWOOD AVE. TO I-95 NB.	N 6000	0	6000 C	9.0	99.9W	8.4F
2673		RAMP EDGEWOOD AVE. TO I-95 SB.	S 3100	0	3100 C	9.0	99.9W	8.4F
2674		RAMP I-95 SB TO EDGEWOOD AVE.	S 6400	0	6400 C	9.0	99.9W	8.4F
2675		ENT. RAMP FROM BROWARD RD TO I-95 SB	S 3100	0	3100 C	9.0	99.9W	8.4F
2676		RAMP I-95 SB TO HECKSCHER DR./ZOO PKWAY EB	S 1200	0	1200 C	9.0	99.9W	8.4F
2677		RAMP I-95 SB TO BROWARD RD. WB	S 750	0	750 C	9.0	99.9W	8.4F
2678		RAMP BROWARD RD. EB TO I-95 NB	N 500	0	500 C	9.0	99.9W	8.4F
2679		BROWARD RD. EXT W. OF I-95	E 4500	W 1600	6100 C	9.5	53.6F	8.4F
2684		ENT. RAMP FROM HECKSCHER DR. WB. TO I-95 NB.	N 1300	0	1300 C	9.0	99.9W	8.4F
2685		EXIT RAMP FROM I-95 NB. TO BROWARD RD. WB.	N 3200	0	3200 C	9.0	99.9W	8.4F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2686		RAMP CLARK RD. TO I-95 SB	S	1700	0	1700 C	9.0	99.9W 8.4F
2743		RAMP I-95 NB TO BOWDEN RD.	N	15500	0	15500 C	9.0	99.9W 8.4F
2744		RAMP BOWDEN RD. TO I-95 SB	S	13000	0	13000 C	9.0	99.9W 8.4F
2745		RAMP UNIVERSITY BLVD. EB TO I-95 NB	N	6200	0	6200 C	9.0	99.9W 8.4F
2746		RAMP I-95 SB TO UNIVERSITY BLVD. EB	S	4500	0	4500 C	9.0	99.9W 8.4F
2747		RAMP UNIVERSITY BLVD. WB TO I-95 NB	N	4500	0	4500 C	9.0	99.9W 8.4F
2748		RAMP I-95 SB TO UNIVERSITY BLVD. WB	S	6900	0	6900 C	9.0	99.9W 8.4F
2749		RAMP I-95 NB TO EMERSON ST.	N	13000	0	13000 C	9.0	99.9W 8.4F
2750		RAMP EMERSON ST. EB TO I-95 SB	S	5700	0	5700 C	9.0	99.9W 2.1F
2751		RAMP EMERSON ST. WB TO I-95 SB	S	7700	0	7700 C	9.0	99.9W 8.4F
2752		RAMP I-95 SB TO EMERSON ST.	S	4400	0	4400 C	9.0	99.9W 8.4F
2753		RAMP EMERSON ST. TO I-95 NB	N	4700	0	4700 C	9.0	99.9W 8.4F
2754		SR 228 RAMPS TO AND FROM DOWNTOWN TO HART BRIDGE	E	5500E	W	5900E	11400 X	9.0 56.1F 2.2F
3020		SR 115 AT N. END TROUT RIVER BRIDGE	N	13000	S	13000	26000 C	9.0 56.1F 2.1F
3026		SR 5 .4 MI. N. OF PECAN PK RD.	N	0	S	0	16500 C	9.0 56.1F 4.1F
3028		SR 212 300' SE OF SR 10	E	9800	W	8500	18300 C	9.0 56.1F 1.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
3029		SR 10 .1 MI. E. OF SR 212	E 13000	W 12500	25500 C	9.0	56.1F	2.1F
3113		SR 15 .1 MI. S. OF 45TH ST.	N 14000	S 14500	28500 C	9.0	56.1F	8.5F
3120		SR 5/US 1 S. END TROUT RIVER BRIDGE	N 6400	S 7300	13700 C	9.0	56.1F	6.1A
3121		SR 10 AT W. END PABLO CREEK BRIDGE	E 24500	W 24500	49000 C	9.0	55.2F	2.1F
3152		SR 228 (NORMANDY BLVD) .3 MI. W. OF LANE AVE.	E 13000	W 12500	25500 C	9.0	56.1F	6.6F
3162		SR 10 .2 MI. E. OF SR 115	E 15000	W 14500	29500 C	9.0	56.1F	2.1F
3170		SR 13 ON ACOSTA BRIDGE	N 17000	S 16000	33000 C	9.0	56.1F	1.2F
3172		SR 5 @ S. END MAIN ST. BRIDGE(S. OF RAMPS TO & F	N 5900E	S 6600E	12500 F	9.0	56.1F	3.0F
3229		SR 15 .1 MI. S. OF NASSAU COUNTY LINE	N 7500	S 7900	15400 C	9.0	56.1F	8.5A
3237		SR 15 .1 MI. N OF ENTRANCE JAX NAS	N 18500	S 17000	35500 C	9.0	56.1F	1.9F
3509		SR 21 300' S. OF WESCONNETT BLVD.	N 13500	S 14000	27500 C	9.0	56.1F	3.3F
3547		SR 200 .1 MI. S. OF SR 228 (NORMANDY BLVD)	N 11500	S 11000	22500 C	9.0	54.2F	25.8F
3550		SR 15 150' S. OF TROUT RIVER BLVD.	N 13500	S 15000	28500 C	9.0	56.1F	8.5F
3554		SR 228 (NORMANDY BLVD) 300' E. OF CHAFFEE RD.	E 6700	W 6700	13400 C	9.0	56.1F	6.6F
3555		SR 228 .2 MI. E. OF SR 23	E 6200	W 6000	12200 C	9.0	56.1F	6.6F
3584		SR 13 AT N. END JULINGTON CREEK BRIDGE	N 23500	S 22500	46000 C	9.0	56.1F	1.2F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====
3623		SR 212 E. OF SR 115 W. OF BARKLEY RD.	E 27000	W 25500	52500 C	9.0	56.1F	1.6F
3641		SR 111 S. OF SR 228	N 11500	S 11000	22500 C	9.0	56.1F	10.2F
3644		SR 111 300' W. OF SR 15	N 14500	S 14000	28500 C	9.0	56.1F	10.2A
3808		SR 10A E. END MATHEWS BRIDGE	E 36500	W 38500	75000 C	9.0	56.1F	1.6F
3817		SR 10A(LEG A) 200' E. OF SR 115	E 14500	W 15500	30000 C	9.0	56.1F	3.5A
3822		SR 115 .6 MI. S. OF SR 212	N 23000	S 21500	44500 C	9.0	56.1F	1.6F
3824		SR 115 .2 MI. N. OF SR 5	N 13000	S 14000	27000 C	9.0	56.1F	1.6F
3826		SR 111 300' S. OF OLD KINGS RD.	N 10000	S 10500	20500 C	9.0	56.1F	10.2F
3834		CR 228 200' W. OF SR 200 HPMS	0E	0E	3600 F	9.5	56.1F	1.3F
3846		MONCRIEF RD. AT MONCRIEF BRIDGE	E 7900	W 7700	15600 C	9.0	56.1F	2.1F
3860		SR-9B - BETWEEN US-1 AND I-95	S 17500	N 13000	30500 C	9.0	56.1F	3.0F
3863		I-95 500' N. OF RAMPS AT SR 5	N 62500	S 60500	123000 C	9.0	53.6F	8.4F
3864		SR 9B .9 MI. S. OF I-295(EAST BELTWAY)	S 23500	N 21000	44500 C	9.0	56.1F	7.0A
3866		SR 103 200' N. OF LENOX AVE.	N 8400	S 9100	17500 C	9.0	56.1F	1.9F
3871		SR 109 150' N. OF SR 212	N 15000	S 17500	32500 C	9.0	56.1F	2.6F
3896		I-295 .6 MI. NW OF SR 13	N 71500	S 71500	143000 C	9.0	53.6F	13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
3909		LANE AVE. (CR 103) 200' S. OF IRA RD.(HPMS)	N 5500	S 5500	11000 C	9.0	56.1F	2.1F
3910		SR 10/US 90 100' W. OF PICKETVILLE RD.	E 0	W 0	7600 C	9.0	56.1F	14.7F
3911		SR 10/US 90 300' W. OF CR 115C(CHAFFEE RD.)	E 0	W 0	9400 C	9.0	56.1F	14.7F
3912		SR 5/US 1 S. OF BAY MEADOWS WAY	N 14500	S 14000	28500 C	9.0	56.1F	3.0F
3913		SR 13 200' S. OF SAN CLERC RD.	N 19000	S 17500	36500 C	9.0	56.1F	1.2F
3914		SR 115 AT BRIDGE NASSAU COUNTY LINE	N 0	S 0	11000 C	9.5	56.1F	2.1F
3915		SR 21 AT BRIDGE CLAY CO.LINE	N 39000	S 39500	78500 C	9.0	56.1F	3.3F
3916		SR 116 (WONDERWOOD DR.) E. OF GIRVIN RD.	E 12500	W 11500	24000 C	9.0	56.1F	1.2F
3917		SR 243 N. OF I-295	N 9900	S 9900	19800 C	9.0	56.1F	1.2F
3918		SR-243 S. OF SR 102	N 5300	S 5500	10800 C	9.0	56.1F	1.2A
3919		SR 116 (WONDERWOOD DR.) W. OF GIRVIN RD.	E 15000	W 14000	29000 C	9.0	56.1F	1.7F
3920		SR 116 (WONDERWOOD DR.) E. OF MONUMENT RD.	E 17000	W 15500	32500 C	9.0	56.1F	1.7F
3922		NEW WORLD AVE. .1 MI. S. OF SR 228	S 4300	N 4000	8300 C	9.0	56.1F	4.4F
3923		SR 116 (WONDERWOOD/MCCORMICK) W. OF MONUMENT RD.	E 12000	W 11500	23500 C	9.0	56.1F	2.0A
3927		SR 243 .1 MI N OF OWENS RD	N 800	S 750	1550 C	9.0	56.1F	1.2F
4008		RAMP US 1 TO I-95 NB	N 8400	0	8400 C	9.0	99.9W	8.4F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4009		RAMP I-95 NB TO U.S 1 NW	N 8200	0	8200 C	9.0	99.9W	8.4F
4010		RAMP FROM US 1 SB TO I-95 SB	S 5800	0	5800 C	9.0	99.9W	8.4F
4011		RAMP US 1 NB TO I-95 SB	S 4800	0	4800 C	9.0	99.9W	8.4F
4012		RAMP I-95 SB TO US 1	S 8900	0	8900 C	9.0	99.9W	8.4F
4013		RAMP I-95 NB TO SR 115 SB	N 3600	0	3600 C	9.0	99.9W	8.4F
4014		RAMP I-95 NB TO BAYMEADOWS RD.	N 7600	0	7600 C	9.0	99.9W	8.4F
4015		RAMP BAYMEADOWS RD. TO I-95 SB	S 6300	0	6300 C	9.0	99.9W	8.4F
4016		RAMP I-95 SB TO BAYMEADOWS RD.	S 14500	0	14500 C	9.0	99.9W	8.4F
4017		RAMP BAYMEADOWS RD. TO I-95 NB	N 15000	0	15000 C	9.0	99.9W	8.4F
4018		RAMP I-95 NB TO SR 202 (JTB)	N 14000	0	14000 C	9.0	99.9W	8.4F
4019		RAMP SR 202 (JTB) EB TO I-95 NB	N 3200	0	3200 C	9.0	99.9W	8.4F
4020		RAMP SR 202 (JTB) EB TO I-95 SB	S 2000	0	2000 C	9.0	99.9W	8.4F
4021		RAMP I-95 SB TO SR 202 (JTB)	S 26000	0	26000 C	9.0	99.9W	8.4F
4022		RAMP SR 202(JTB) WB TO I-95 SB	S 11500	0	11500 C	9.0	99.9W	8.4F
4023		RAMP SR 202 WB TO I-95 NB	N 26000	0	26000 C	9.0	99.9W	8.4F
4025		RAMP I-95 NB TO DUNN AVVE.	N 11500	0	11500 C	9.0	99.9W	13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4026		RAMP DUNN AVE. TO I-95 SB	S	11500	0	11500 C	9.0	99.9W 13.6F
4027		RAMP I-95 SB TO DUNN AVE.	S	6300	0	6300 C	9.0	99.9W 13.6F
4028		RAMP DUNN AVE. TO I-95 NB	N	6600	0	6600 C	9.0	99.9W 13.6F
4029		RAMP I-95 NB TO I-295(9-A) SB (N. INTERCHANGE)	N	4700	0	4700 C	9.0	99.9W 13.6F
4030		RAMP I-295 EB TO I-95 SB (N. INTERCHANGE)	E	4100	0	4100 C	9.0	99.9W 13.6F
4031		RAMP I-295(9A) WB TO I-95 SB (N. INTERCHANGE)	W	5100	0	5100 C	9.0	99.9W 13.6F
4033		RAMP I-295 EB TO I-95 NB (N. INTERCHANGE)	E	17500	0	17500 C	9.0	99.9W 13.6F
4034		RAMP I-295(9A) WB TO I-95 NB (N. INTERCHANGE)	W	15500	0	15500 C	9.0	99.9W 13.6F
4035		RAMP I-95 NB TO I-295(9A) WB (N. INTERCHANGE)	N	3400	0	3400 C	9.0	99.9W 13.6F
4036		RAMP I-95 SB TO I-295 SB (N. INTERCHANGE)	S	14000	0	14000 C	9.0	99.9W 13.6F
4037		RAMP I-95 NB TO DUVAL RD.	N	12500	0	12500 C	9.0	99.9W 13.6F
4038		RAMP AIRPORT RD. TO I-95 SB	S	17000	0	17000 C	9.0	99.9W 13.6F
4039		RAMP AIRPORT RD. TO I-95 NB	N	4000	0	4000 C	9.0	99.9W 13.6F
4040		RAMP I-95 NB TO AIRPORT RD. WB	N	7200	0	7200 C	9.0	99.9W 13.6F
4041		RAMP I-95 SB TO AIRPORT RD.	S	3600	0	3600 C	9.0	99.9W 13.6F
4042		RAMP PECAN PARK RD. TO I-95 SB	S	5700	0	5700 C	9.0	99.9W 13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4043		RAMP I-95 NB TO PECAN PARK RD.	N	6600	0	6600 C	9.0	99.9W 13.6F
4044		RAMP I-95 SB TO PECAN PARK RD.	S	1600	0	1600 C	9.0	99.9W 13.6F
4045		RAMP PECAN PARK RD. TO I-95 NB	N	2200	0	2200 C	9.0	99.9W 13.6F
4046		RAMP US 301 SB TO I-10 WB	W	2100	0	2100 C	9.0	99.9W 13.6F
4047		RAMP I-10 WB TO US 301	W	10500	0	10500 C	9.0	99.9W 13.6F
4048		RAMP US 301 TO I-10 EB	E	10000	0	10000 C	9.0	99.9W 13.6F
4049		RAMP I-10 EB TO US 301	E	1900	0	1900 C	9.0	99.9W 13.6F
4050		RAMP I-10 WB TO CAFFEE RD.	W	6400	0	6400 C	9.0	99.9W 13.6F
4051		RAMP CHAFFEE RD. TO I-10 WB	W	2300	0	2300 C	9.0	99.9W 13.6F
4052		RAMP I-10 EB TO CHAFFEE RD.	E	2200	0	2200 C	9.0	99.9W 13.6F
4053		RAMP CHAFFEE RD. TO I-10 EB	E	7400	0	7400 C	9.0	99.9W 13.6F
4058		RAMP I-10 EB TO I-295 NB	E	13000	0	13000 C	9.0	99.9W 13.6F
4059		RAMP I-10 EB TO I-295 SB	E	9200	0	9200 C	9.0	99.9W 13.6F
4060		RAMP I-295 SB TO I-10 EB	S	5900	0	5900 C	9.0	99.9W 13.6F
4061		RAMP I-295 SB TO I-10 WB	S	13000	0	13000 C	9.0	99.9W 13.6F
4062		RAMP I-295 NB TO I-10 EB	N	21500	0	21500 C	9.0	99.9W 13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4063		RAMP I-295 NB TO I-10 WB	N 8200	0	8200 C	9.0	99.9W	13.6F
4064		RAMP I-10 WB TO I-295 SB	W 20500	0	20500 C	9.0	99.9W	13.6F
4065		RAMP I-10 WB TO I-295NB	W 7400	0	7400 C	9.0	99.9W	13.6F
4066		RAMP OLD ST. AUGUSTINE RD. TO I-295 NB	N 10000	0	10000 C	9.0	99.9W	13.6F
4067		RAMP I-295 SB TO OLD ST. AUGUSTINE RD.	S 9700	0	9700 C	9.0	99.9W	13.6F
4068		RAMP I-295 NB TO OLD ST. AUGUSTINE RD.	N 9500	0	9500 C	9.0	99.9W	13.6F
4069		RAMP OLD ST. AUGUSTINE RD. TO I-295 SB	S 9900	0	9900 C	9.0	99.9W	13.6F
4070		RAMP SR 13 NB TO I-295 SB	S 9700	0	9700 C	9.0	99.9W	13.6F
4071		RAMP I-295 NB TO SR 13 NB	N 4400	0	4400 C	9.0	99.9W	13.6F
4072		RAMP SR 13 SB TO I-295 SB	S 3200	0	3200 C	9.0	99.9W	13.6F
4073		RAMP I-295 SB TO SR 13	S 19000	0	19000 C	9.0	99.9W	13.6F
4074		RAMP SR 13 SB TO I-295 NB	N 19500	0	19500 C	9.0	99.9W	13.6F
4075		RAMP I-295 NB TO SR 13 SB	N 8900	0	8900 C	9.0	99.9W	13.6F
4076		RAMP I-295 SB TO US 17	S 14000	0	14000 C	9.0	99.9W	13.6F
4077		RAMP US 17 SB TO I-295 SB	S 8600	0	8600 C	9.0	99.9W	13.6F
4078		RAMP US 17 TO I-295 NB	N 4000	0	4000 C	9.0	99.9W	13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
====	====	=====	=====	=====	=====	=====	=====	=====
4079		RAMP I-295 NB TO US 17	N 24500	0	24500 C	9.0	99.9W	13.6F
4080		RAMP US 17 NB TO I-295 NB	N 8500	0	8500 C	9.0	99.9W	13.6F
4081		RAMP SR 21 TO I-295 NB FRONTAGE RD.	N 15500	0	15500 C	9.0	99.9W	13.6F
4082		RAMP I-295 SB FRONTAGE RD. TO SR 21	S 15500	0	15500 C	9.0	99.9W	13.6F
4083		RAMP I-295 NB FRONTAGE RD. TO SR 21	N 18000	0	18000 C	9.0	99.9W	13.6F
4084		RAMP SR 21 TO I-295 SB FRONTAGE RD.	S 19000	0	19000 C	9.0	99.9W	13.6F
4085		RAMP 103 RD. ST. TO I-295 SB	S 8900	0	8900 C	9.0	99.9W	13.6F
4086		RAMP I-295 NB TO 103RD. ST.	N 9000	0	9000 C	9.0	99.9W	13.6F
4087		RAMP I-295 SB TO 103RD. ST.	S 12500	0	12500 C	9.0	99.9W	13.6F
4088		RAMP 103RD ST. TO I-295 NB	N 14000	0	14000 C	9.0	99.9W	13.6F
4089		RAMP WILSON BLVD. TO I-295 SB	S 5200	0	5200 C	9.0	99.9W	13.6F
4090		RAMP I-295 NB TO WILSON BLVD.	N 5300	0	5300 C	9.0	99.9W	13.6F
4091		RAMP I-295 SB TO WILSON BLVD.	S 8900	0	8900 C	9.0	99.9W	13.6F
4092		RAMP WILSON BLVD. TO I-295 NB	N 9000	0	9000 C	9.0	99.9W	13.6F
4093		RAMP SR 228 TO I-295 SB	S 7400	0	7400 C	9.0	99.9W	13.6F
4094		RAMP I-295 SB TO SR 228	S 8000	0	8000 C	9.0	99.9W	13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4095	RAMP	I-295 NB TO SR 228	N	8200	0	8200 C	9.0	99.9W 13.6F
4096	RAMP	SR 228 TO I-295 NB	N	8700	0	8700 C	9.0	99.9W 13.6F
4097	RAMP	COMMONWEATH AVE. TO I-295 SB	S	10000	0	10000 C	9.0	99.9W 12.7F
4098	RAMP	I-295 NB TO COMMONWEATH AVE.	N	11000	0	11000 C	9.0	99.9W 12.7F
4099	RAMP	I-295 SB TO COMMONWEALTH AVE.	S	4500	0	4500 C	9.0	99.9W 12.7F
4100	RAMP	COMMONWEATH AVE. TO I-295 NB	N	5000	0	5000 C	9.0	99.9W 12.7F
4101	RAMP	PRITCHARD RD. TO I-295 SB	S	10500	0	10500 C	9.0	99.9W 12.7F
4102	RAMP	I-295 NB TO PRITCHARD RD.	N	11500	0	11500 C	9.0	99.9W 12.7F
4103	RAMP	I-295 SB TO PRITCHARD RD.	S	5100	0	5100 C	9.0	99.9W 12.7F
4104	RAMP	PRITCHARD RD. TO I-295 NB	N	5200	0	5200 C	9.0	99.9W 12.7F
4105	RAMP	NEW KINGS RD. TO I-295 SB	S	7500	0	7500 C	9.0	99.9W 12.7F
4106	RAMP	I-295 NB TO NEW KINGS RD. EB	N	1100	0	1100 C	9.0	99.9W 12.7F
4107	RAMP	I-295 SB TO OLD KINGS RD. EB	S	2600	0	2600 C	9.0	99.9W 12.7F
4108	RAMP	I-295 NB TO NEW KINGS RD. WB	N	6000	0	6000 C	9.0	99.9W 12.7F
4109	RAMP	NEW KINGS RD. WB TO I-295 NB	N	5300	0	5300 C	9.0	99.9W 12.7F
4110	RAMP	I-295 NB TO DUNN AVE.	N	5300	0	5300 C	9.0	99.9W 12.7F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4111		RAMP DUNN AVE. EB TO I-295 SB	S	800	0	800 C	9.0	99.9W 12.7F
4112		RAMP DUNN AVE. WB TO I-295 SB	S	3800	0	3800 C	9.0	99.9W 12.7F
4113		RAMP DUNN AVE. TO I-295 NB	N	4600	0	4600 C	9.0	99.9W 12.7F
4114		RAMP I-295 SB TO DUNN AVE	S	4100	0	4100 C	9.0	99.9W 12.7F
4115		RAMP I-295 NB TO LEM TURNER RD.	N	2700	0	2700 C	9.0	99.9W 12.7F
4116		RAMP LEM TURNER/SR-115 TO I-295 SB	S	2500	0	2500 C	9.0	99.9W 12.7F
4117		RAMP LEM TURNER RD. TO I-295 NB	N	5700	0	5700 C	9.0	99.9W 12.7F
4118		RAMP I-295 SB TO LEM TURNER RD.	S	5000	0	5000 C	9.0	99.9W 12.7F
4119		RAMP US 17 TO I-295(9A) SB	S	4200	0	4200 C	9.0	99.9W 12.7F
4120		RAMP I-295(9-A) SB TO US 17	S	4700	0	4700 C	9.0	99.9W 12.7F
4121		RAMP I-295(9-A) NB TO US 17	N	4500	0	4500 C	9.0	99.9W 12.7F
4122		RAMP US 17 TO I-295(9A) NB	N	4600	0	4600 C	9.0	99.9W 12.7F
4123		RAMP I-295(9A) SB TO SR 105	S	4700	0	4700 C	9.0	99.9W 12.7F
4124		RAMP SR 105 TO I-295(9A) NB	N	4200	0	4200 C	9.0	99.9W 12.7F
4125		RAMP SR 105 TO I-295(9A) SB	S	10500	0	10500 C	9.0	99.9W 12.7F
4126		RAMP I-295(9-A) NB TO SR 105	N	10500	0	10500 C	9.0	99.9W 12.7F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE ====	SITE TYPE ====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4127		RAMP I-295(9A) SB TO MONUMENT RD.	S 5300	0	5300 C	9.0	99.9W	12.7F
4128		RAMP MONUMENT RD. TO I-295(9A)	N 3100	0	3100 C	9.0	99.9W	12.7F
4129		RAMP MONUMENT RD. TO I-295(9A) SB	S 8500	0	8500 C	9.0	99.9W	12.7F
4130		RAMP I-295(9A) NB TO MONUMENT RD.	N 7900	0	7900 C	9.0	99.9W	12.7F
4131		RAMP I-295(9A) SB TO MERRILL RD.	S 3900	0	3900 C	9.0	99.9W	12.7F
4132		RAMP I-295(9A) NB TO MERRILL RD.	N 8600	0	8600 C	9.0	99.9W	12.7F
4133		RAMP MERRILL RD. TO I-295(9A)	S 11500	0	11500 C	9.0	99.9W	12.7F
4134		RAMP DUVAL RD. TO I-295 SB	S 5500	0	5500 C	9.0	99.9W	12.7F
4135		RAMP I-295 SB TO DUVAL RD.	S 4300	0	4300 C	9.0	99.9W	12.7F
4136		RAMP I-295 NB TO DUVAL RD.	N 5500	0	5500 C	9.0	99.9W	12.7F
4137		RAMP DUVAL RD. TO I-295 NB	N 4700	0	4700 C	9.0	99.9W	12.7F
4138		RAMP BELFORD RD. TO SR 202 WB	W 18000	0	18000 C	9.0	99.9W	4.7F
4139		RAMP SR 202 EB TO BELFORD RD.	E 13000	0	13000 C	9.0	99.9W	4.7F
4140		RAMP BELFORD RD. TO SR 202 EB	E 9200	0	9200 C	9.0	99.9W	4.7F
4141		RAMP SR 202 WB TO BELFORD RD.	W 9200	0	9200 C	9.0	99.9W	4.7F
4142		RAMP SR 202 EB TO SOUTHSIDE BLVD. SB	E 3300	0	3300 C	9.0	99.9W	4.7F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
====	====	=====	=====	=====	TWO-WAY	FCTR	FCTR	FCTR
4143		RAMP SOUTHSIDE BLVD. SB TO SR 202 EB	S 4900	0	4900 C	9.0	99.9W	4.7F
4144		RAMP SR 202 EB TO SOUTHSIDE BLVD. NB	E 5400	0	5400 C	9.0	99.9W	4.7F
4145		RAMP SOUTHSIDE BLVD. NB TO SR 202 EB	N 9400	0	9400 C	9.0	99.9W	4.7F
4146		RAMP SOUTHSIDE BLVD. SB TO SR 202 WB	S 5300	0	5300 C	9.0	99.9W	4.7F
4147		RAMP SR 202 WB TO SOUTHSIDE BLVD. SB	W 8400	0	8400 C	9.0	99.9W	4.7F
4148		RAMP SOUTHSIDE BLVD. NB TO SR 202 WB	N 3000	0	3000 C	9.0	99.9W	4.7F
4149		RAMP SR 202 WB TO SOUTHSIDE BLVD. NB	W 6700	0	6700 C	9.0	99.9W	4.7F
4150		RAMP GATE PARK BLVD. TO SR 202 WB	W 11000	0	11000 C	9.0	99.9W	4.7F
4151		RAMP SR 202 EB TO GATE PARK BLVD.	E 11500	0	11500 C	9.0	99.9W	4.7F
4152		RAMP SR 202 WB TO GATE PARK BLVD.	W 14000	0	14000 C	9.0	99.9W	4.7F
4153		RAMP GATE PARK BLVD. TO SR 202 EB	E 12000	0	12000 C	9.0	99.9W	4.7F
4154		RAMP MAINLINE SR 202 EB TO I-295(9A)	E 16000	0	16000 C	9.0	99.9W	4.7F
4155		RAMP MAINLINE I-295(9A) SB TO SR 202	S 23000	0	23000 C	9.0	99.9W	10.3F
4156		RAMP MAINLINE SR 202 WB TO I-295(9A)	W 25500	0	25500 C	9.0	99.9W	10.3F
4157		RAMP MAINLINE I-295(9A) NB TO SR 202	N 24000	0	24000 C	9.0	99.9W	10.3F
4158		RAMP SR 202 EB TO KERNAN RD.	E 12500	0	12500 C	9.0	99.9W	4.7F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
====	====	=====	=====	=====	=====	=====	=====	=====
4159		RAMP KERNAN RD. TO SR 202 WB	W 13000	0	13000 C	9.0	99.9W	4.7F
4160		RAMP SR 202 WB TO KERNAN RD.	W 3700	0	3700 C	9.0	99.9W	4.7F
4161		RAMP KERNAN RD. TO SR 202 EB	E 3000	0	3000 C	9.5	99.9W	4.7F
4162		RAMP HODGES BLVD. TO SR 202 WB	W 15000	0	15000 C	9.0	99.9W	4.7F
4163		RAMP SR 202 EB TO HODGES BLVD.	E 14000	0	14000 C	9.0	99.9W	4.7F
4164		RAMP SR 202 WB TO HODGES BLVD.	W 5200	0	5200 C	9.0	99.9W	4.7F
4165		RAMP HODGES BLVD. TO SR 202 EB	E 4700	0	4700 C	9.0	99.9W	4.7F
4166		RAMP SAN PABLO RD. TO SR 202 WB	W 17500	0	17500 C	9.0	99.9W	4.7F
4167		RAMP SR 202 EB TO SAN PABLO RD.	E 16500	0	16500 C	9.0	99.9W	4.7F
4168		RAMP SR 202 WB TO SAN PABLO RD.	W 5400	0	5400 C	9.0	99.9W	4.7F
4169		RAMP SAN PABLO RD. TO SR 202 EB	E 5300	0	5300 C	9.0	99.9W	4.7F
4170		RAMP SR 202 EB TO SOUTH BEACH PKWY	E 12000	0	12000 C	9.0	99.9W	4.7F
4171		RAMP SOUTH BEACH PKWY TO SR 202 WB	W 10000	0	10000 C	9.0	99.9W	4.7F
4172		RAMP SR 202 EB TO SR AIA SB	E 13000	0	13000 C	9.0	99.9W	4.7F
4173		RAMP SR AIA SB TO SR 202 WB	W 9600	0	9600 C	9.0	99.9W	4.7F
4174		RAMP SR 202 EB TO AIA NB	E 8300	0	8300 C	9.0	99.9W	4.7F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
====	====	=====	=====	=====	=====	=====	=====	=====
4175		RAMP SR AIA NB TO SR 202 WB	W 14000	0	14000 C	9.0	99.9W	4.7F
4176		RAMP US 17 NB TO I-295 SB	S 15500	0	15500 C	9.0	99.9W	13.6F
4177		RAMP I-295(9A) SB TO PULASKI RD.	S 3800	0	3800 C	9.0	99.9W	12.7F
4178		RAMP PULASKI RD. TO I-295(9A) NB	N 4100	0	4100 C	9.0	99.9W	12.7F
4179		RAMP PULASKI RD. TO I-295(9A) SB	S 3900	0	3900 C	9.0	99.9W	12.7F
4180		RAMP I-295(9A) NB TO PULASKI RD.	N 3900	0	3900 C	9.0	99.9W	12.7F
4181		RAMP I-295(9A) SB TO ALTA DR.	S 5000	0	5000 C	9.0	99.9W	12.7F
4182		RAMP ALTA DR. TO I-295(9A) NB	N 4900	0	4900 C	9.0	99.9W	12.7F
4183		RAMP ALTA DR. TO I-295(9A) SB	S 4900	0	4900 C	9.0	99.9W	12.7F
4184		RAMP I-295(9A) NB TO ALTA DR.	N 4700	0	4700 C	9.0	99.9W	12.7F
4185		RAMP I-295 SB TO US 1(NEW KINGS RD) WB	S 1800	0	1800 C	9.0	99.9W	12.7F
4186		RAMP LEG I-295(9A) NB TO SR 202 EB	N 20000	0	20000 C	9.0	99.9W	4.7F
4187		RAMP LEG SR 202 WB TO I-295(9A) NB	W 10500	0	10500 C	9.0	99.9W	4.7F
4188		RAMP LEG I-295(9A) SB TO SR 202 WB	S 14500	0	14500 C	9.0	99.9W	4.7F
4189		RAMP LEG SR 202 EB TO I-295(9A) SB	E 5800	0	5800 C	9.0	99.9W	4.7F
4190		RAMP I-95 NB TO ST. AUGUSTINE RD.	N 3900	0	3900 C	9.0	99.9W	8.4F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
====	====	=====	=====	=====	=====	=====	=====	=====
4191		RAMP ST. AUGUSTINE RD. TO I-95 NB	N 14500	0	14500 C	9.0	99.9W	8.4F
4192		RAMP I-95 SB TO ST. AUGUSTINE RD.	S 15000	0	15000 C	9.0	99.9W	8.4F
4193		RAMP ST. AUGUSTINE RD. TO I-95 SB	S 3900	0	3900 C	9.0	99.9W	8.4F
4194		RAMP I-295(9A) SB TO ATLANTIC BLVD.	S 8800	0	8800 C	9.0	99.9W	12.7F
4195		RAMP ATLANTIC BLVD. TO I-295(9A) SB	S 8400	0	8400 C	9.0	99.9W	12.7F
4196		RAMP I-295(9A) NB TO ATLANTIC BLVD.	N 7400	0	7400 C	9.0	99.9W	12.7F
4197		RAMP ATLANTIC BLVD. TO I-295(9A) NB	N 8700	0	8700 C	9.0	99.9W	12.7F
4198		RAMP ST. JOHNS BLUFF RD. TO I-295(9A) SB	S 5200	0	5200 C	9.0	99.9W	12.7F
4199		RAMP I-295(9A) NB TO ST. JOHNS BLUFF RD.	N 5500	0	5500 C	9.0	99.9W	12.7F
4200		RAMP I-295(9A) SB TO BEACH BLVD.	S 7700	0	7700 C	9.0	99.9W	12.7F
4201		RAMP BEACH BLVD. TO I-295(9A) SB	S 10500	0	10500 C	9.0	99.9W	12.7F
4202		RAMP I-295(9A) NB TO BEACH BLVD.	N 10500	0	10500 C	9.0	99.9W	12.7F
4203		RAMP BEACH BLVD. TO I-295(9A) NB	N 7200	0	7200 C	9.0	99.9W	12.7F
4204		RAMP I-295(9A) SB TO TOWNCENTER PKWY	S 6900	0	6900 C	9.0	99.9W	12.7F
4205		RAMP TOWNCENTER PKWY TO I-295(9A) SB	S 10500	0	10500 C	9.0	99.9W	12.7F
4206		RAMP I-295(9A) NB TO UNF DR.	N 9500	0	9500 C	9.0	99.9W	12.7F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4207		RAMP UNF DR. TO I-295(9A) NB	N	6500	0	6500 C	9.0	99.9W 12.7F
4208		RAMP I-295(9A) SB TO GATE PARKWAY	S	7600	0	7600 C	9.0	99.9W 12.7F
4209		RAMP GATE PARKWAY TO I-295(9A) SB	S	4700	0	4700 C	9.0	99.9W 12.7F
4210		RAMP I-295(9A) NB TO GATE PARKWAY	N	3600	0	3600 C	9.0	99.9W 12.7F
4211		RAMP GATE PARKWAY TO I-295(9A) NB	N	7300	0	7300 C	9.0	99.9W 12.7F
4212		RAMP I-295(9A) SB TO SR 152	S	7100	0	7100 C	9.0	99.9W 12.7F
4213		RAMP SR 152 TO I-295(9A) SB	S	5000	0	5000 C	9.0	99.9W 12.7F
4214		RAMP I-295(9A) NB TO SR 152	N	3900	0	3900 C	9.0	99.9W 12.7F
4215		RAMP SR 152 TO I-295(9A) NB	N	7200	0	7200 C	9.0	99.9W 12.7F
4216		RAMP I-295(9A) SB TO SR 5	S	5900	0	5900 C	9.0	99.9W 12.7F
4217		RAMP SR 5 TO I-295(9A) SB	S	7100	0	7100 C	9.0	99.9W 12.7F
4218		RAMP I-295(9A) NB TO SR 5	N	7800	0	7800 C	9.0	99.9W 12.7F
4219		RAMP SR 5 TO I-295(9A) NB	N	5300	0	5300 C	9.0	99.9W 12.7F
4220		RAMP I-295 SB TO I-95 SB(S. INTERCHANGE)	S	14500	0	14500 C	9.0	99.9W 13.6F
4221		RAMP I-95 NB TO I-295 NB(S. INTERCHANGE)	N	14500	0	14500 C	9.0	99.9W 13.6F
4222		RAMP SR 23 (CECIL COMMERCE PKY) NB TO I-10 EB	N	7600	0	7600 C	9.0	99.9W 3.8F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
====	====	=====	=====	=====	TWO-WAY	FCTR	FCTR	FCTR
4223		RAMP I-10 WB TO SR 23 (CECIL COMMERCE PKY) SB	W 6300	0	6300 C	9.0	99.9W	3.8F
4224		RAMP SR 23(CECIL COMMERCE PKY) NB TO I-10 WB	N 1400	0	1400 C	9.0	99.9W	3.8F
4225		RAMP I-10 EB TO SR 23 (CECIL COMMERCE PKY) SB	S 1500	0	1500 C	9.0	99.9W	3.8F
4226		RAMP SR 212(BEACH BLVD.) TO KERNAN BLVD. SB	S 5500	0	5500 C	9.0	99.9W	13.6F
4227		RAMP KERNAN BLVD NB TO SR 212 (BEACH BLVD. EB	N 5900	0	5900 C	9.0	99.9W	13.6F
4228		RAMP SR 212 (BEACH BLVD.) WB TO KERNAN BLVD. NB	N 8300	0	8300 C	9.0	99.9W	13.6F
4229		RAMP KERNAN BLVD. SB TO SR 212 (BEACH BLVD.) WB	S 7900	0	7900 C	9.0	99.9W	13.6F
4230		RAMP KERNAN BLVD. NB TO ATLANTIC BLVD. EB	E 8800	0	8800 C	9.0	99.9W	13.6F
4231		RAMP ATLANTIC BLVD WB TO KERNAN BLVD. NB	W 8000	0	8000 C	9.0	99.9W	13.6F
4232		RAMP KERNAN BLVD. SB TO ATLANTIC BLVD. WB	W 7700	0	7700 C	9.0	99.9W	13.6F
4233		RAMP ATLANTIC BLVD EB TO KERNAN BLVD. SB	E 8400	0	8400 C	9.0	99.9W	13.6F
4234		SB I-95 CONNECTOR S. OF ATLANTIC BLVD.	0E	0E	5900 F	9.0	99.9W	13.6F
4235		RAMP I-95 SB TO PHILLIPS HIGHWAY	0E	0E	17500 F	9.0	99.9W	13.6F
4236		RAMP I-95 NB TO FORSYTH ST.	N 5000	0	5000 C	9.0	99.9W	13.6F
4237		RAMP W. BAY ST. TO I-95 SB	S 3900	0	3900 C	9.0	99.9W	13.6F
4238		RAMP I-95 NB TO UNION ST.	N 14000	0	14000 C	9.0	99.9W	13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4239		I-95 NB TO KINGS RD.	N	3400	0	3400 C	9.0	99.9W 13.6F
4240		RAMP I-95 SB TO UNION ST.	S	6600	0	6600 C	9.0	99.9W 13.6F
4241		RAMP OLD KINGS RD. TO I-95 NB	N	4500	0	4500 C	9.0	99.9W 13.6F
4242		RAMP I-95 SB OFF TO KINGS RD.	S	1800	0	1800 C	9.0	99.9W 13.6F
4243		RAMP I-95 NB TO MONROE ST.	N	1900	0	1900 C	9.5	99.9W 13.6F
4244		RAMP I-95 NB TO THE I-10 TO I-95 NB RAMP(OOPS RA	N	2600	0	2600 C	9.0	99.9W 13.6F
4245		RAMP I-95 SB TO FOREST ST.	S	3500	0	3500 C	9.0	99.9W 13.6F
4246		RAMP BEAVER ST. TO I-95 NB	N	2600	0	2600 C	9.0	99.9W 13.6F
4247		RAMP BEAVER ST. TO I-95 SB	S	3000	0	3000 C	9.0	99.9W 13.6F
4248		RAMP OLD KINGS RD. TO I-95 SB	S	16000	0	16000 C	9.0	99.9W 13.6F
4249		RAMP ADAMS ST. TO I-95 NB	N	2700	0	2700 C	9.0	99.9W 13.6F
4250		RAMP ADAMS ST. TO I-95 SB	S	3400	0	3400 C	9.0	99.9W 13.6F
4251		RAMP I-95 SB TO CHURCH ST.	S	1800	0	1800 C	9.0	99.9W 13.6F
4252		RAMP UNION ST. TO BEAVER ST.	S	1000	0	1000 C	9.0	99.9W 13.6F
4253		RAMP BROWARD RD. TO SR 105 EB	E	2100	0	2100 C	9.0	99.9W 13.6F
4254		RAMP MERRILL RD. TO SR 113 NB	N	8400	0	8400 C	9.0	99.9W 13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
====	====	=====	=====	=====	=====	=====	=====	=====
4255		RAMP SR 113 SB TO MERRILL RD.	S 4500	0	4500 C	9.0	99.9W	13.6F
4256		RAMP MERRILL RD. TO SR 113 SB	S 8100	0	8100 C	9.0	99.9W	13.6F
4257		RAMP SR 113 SB TO ARLINGTON EXP. WB	S 8600	0	8600 C	9.0	99.9W	13.6F
4258		RAMP ARLINGTON EXP. EB TO SR 113 NB	N 10500	0	10500 C	9.0	99.9W	13.6F
4259		RAMP SR 113 NB TO REGENCY SQUARE BLVD.	N 5000	0	5000 C	9.0	99.9W	13.6F
4260		RAMP REGENCY SQUARE BLVD. TO SR 113 SB	S 4500	0	4500 C	9.0	99.9W	13.6F
4261		RAMP ARLINGTON EXP. EB TO SR 109 SB	E 2600	0	2600 C	9.0	99.9W	13.6F
4262		RAMP SR 109 SB TO ARLINGTON EXP. WB	W 8200	0	8200 C	9.0	99.9W	13.6F
4263		RAMP SOUTHSIDE BLVD. SB TO SERVICE RD. (S. OF BAY	S 3200	0	3200 C	9.0	99.9W	13.6F
4264		RAMP PHILLIP A. RANDOLPH TO ARLINGTON XWAY EB/SR	S 1400	0	1400 C	9.0	99.9W	13.6F
4265		RAMP SOUTHSIDE BLVD. NB TO BEACH BLVD.	N 9100	0	9100 C	9.0	99.9W	13.6F
4266		RAMP SR 109 NB TO ARLINGTON EXP. WB	W 600	0	600 C	9.0	99.9W	13.6F
4267		RAMP ARLINGTON EXP. EB TO SR 109 NB	E 6000	0	6000 C	9.0	99.9W	13.6F
4268		RAMP ARLINGTON EXP. WB TO SR 109 SB	W 1000	0	1000 C	9.0	99.9W	13.6F
4269		RAMP ARLINGTON EXP. EB TO PHILLIP RANDOLPH BLVD.	E 500	0	500 C	9.0	99.9W	13.6F
4270		RAMP ARLINGTON EXP. EB TO SOUTHSIDE BLVD. SB	S 3800	0	3800 C	9.5	99.9W	13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
====	====	=====	=====	=====	=====	=====	=====	=====
4271		RAMP ARLINGTON EXP. EB TO GATOR BOWL BLVD./STADI	E	1100	0	1100 C	9.0	99.9W 13.6F
4272		RAMP ARLINGTON EXP. EB FLYOVER TO HAINES ST. NB	N	800	0	800 C	9.0	99.9W 13.6F
4273		RAMP MAIN ST. SB TO I-295 EB	E	3200	0	3200 C	9.0	99.9W 13.6F
4274		RAMP FROM RAMP I-295 NB RAMP TO MAIN ST. SB	S	750	0	750 C	9.0	99.9W 13.6F
4275		RAMP WATER ST. EB TO MAIN ST. SB	S	1300	0	1300 C	9.0	99.9W 13.6F
4276		RAMP MAIN ST. NB TO WATER ST.	N	1300	0	1300 C	9.0	99.9W 13.6F
4277		RAMP MAIN ST. NB TO PRUDENTIAL DR.	N	4600	0	4600 C	9.0	99.9W 13.6F
4278		RAMP I-95 SB TO US 1	S	7600	0	7600 C	9.0	99.9W 13.6F
4279		RAMP E. DUVAL ST. TO HART BRIDGE EXP. EB	N	3600	0	3600 C	9.0	99.9W 13.6F
4280		RAMP WB HART BRIDGE EXP. TO DUVAL ST.	N	2000	0	2000 C	9.0	99.9W 13.6F
4281		RAMP HART BRIDGE EXP. WB TO DUVAL ST./MLK NB	N	16000	0	16000 C	9.0	99.9W 13.6F
4282		RAMP FROM HART BRIDGE EXP. TO HAINES ST. SERVICE	N	900	0	900 C	9.0	99.9W 13.6F
4283		RAMP FROM HART BRIDGE EXP. TO MLK NB	N	13000	0	13000 C	9.0	99.9W 13.6F
4284		RAMP HAINES ST. NB TO 8TH ST.	N	2800	0	2800 C	9.0	99.9W 13.6F
4285		RAMP 8TH ST. TO SR 115 NB	N	2500	0	2500 C	9.0	99.9W 13.6F
4286		RAMP HAINES ST. NB TO ARLINGTON EXP. EB	N	2800	0	2800 C	9.0	99.9W 13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
====	====	=====	=====	=====	TWO-WAY	FCTR	FCTR	FCTR
4287		RAMP MLK BLVD. EB TO BOULEVARD ST.	E	3000	0	3000 C	9.0	99.9W 13.6F
4288		RAMP BOULEVARD ST. TO MLK BLVD. WB	W	3400	0	3400 C	9.0	99.9W 13.6F
4289		RAMP BOULEVARD ST. TO MLK BLVD. EB	E	1700	0	1700 C	9.0	99.9W 13.6F
4290		RAMP MLK BLVD. WB TO BOULEVARD ST.	W	1400	0	1400 C	9.0	99.9W 13.6F
4291		RAMP MLK BLVD. WB TO FRONTAGE RD. E. OF LIBERTY	W	1200	0	1200 C	9.0	99.9W 13.6F
4292		RAMP LIBERTY ST. TO MLK BLVD. EB	E	1000	0	1000 C	9.0	99.9W 13.6F
4293		RAMP PHOENIX AVE. TO MLK BLVD. WB	W	5300	0	5300 C	9.0	99.9W 13.6F
4294		RAMP MLK BLVD. EB TO PHOENIX AVE.	E	5100	0	5100 C	9.0	99.9W 13.6F
4295		RAMP EMERSON ST. EXP. NB TO BEACH BLVD.	N	1800	0	1800 C	9.0	99.9W 13.6F
4296		RAMP BEACH BLVD. TO EMERSON ST. EXP. SB	S	1600	0	1600 C	9.0	99.9W 13.6F
4297		RAMP HART BRIDGE EXP SB TO ATLANTIC BLVD.	S	900	0	900 C	9.0	99.9W 13.6F
4298		RAMP ATLANTIC BLVD. WB TO HART BRIDGE EXP NB	N	2600	0	2600 C	9.0	99.9W 13.6F
4299		RAMP ATLANTIC BLVD. EB TO HART BRIDGE EXP. NB	N	1200	0	1200 C	9.0	99.9W 13.6F
4300		RAMP HART BRIDGE EXP. SB TO ATLANTIC BLVD. EB	S	1900	0	1900 C	9.0	99.9W 13.6F
4301		RAMP UNIVERSITY BLVD. SB TO HART BRIDGE EXP. NB	N	350	0	350 C	9.0	99.9W 13.6F
4302		RAMP HART BRIDGE EXP. SB TO UNIVERSITY BLVD. SB	S	2700	0	2700 C	9.0	99.9W 13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
====	====	=====	=====	=====	=====	=====	=====	=====
4303		RAMP UNIVERSITY BLVD. NB TO HART BRIDGE EXP. NB	N	1900	0	1900 C	9.0	99.9W 13.6F
4304		RAMP HART BRIDGE EXP. SB TO UNIVERSITY BLVD. NB	S	450	0	450 C	9.0	99.9W 13.6F
4305		RAMP FRONTAGE RD. WB(E. OF PEARL) TO MLK BLVD. W	W	3800	0	3800 C	9.0	99.9W 13.6F
4306		RAMP MLK BLVD. EB(W. OF MAIN) TO PEARL ST.	E	3200	0	3200 C	9.0	99.9W 13.6F
4307		RAMP PEARL ST. TO MLK BLVD. EB	W	1600	0	1600 C	9.0	99.9W 13.6F
4308		RAMP MLK BLVD. WB TO FRONTAGE RD. WB(W. OF MAIN)	W	1400	0	1400 C	9.0	99.9W 13.6F
4309		RAMP FRONTAGE RD WB(E. OF MAIN) TO MLK BLVD. WB	W	1500	0	1500 C	9.0	99.9W 13.6F
4310		RAMP MLK BLVD.EB(E. OF MAIN) TO PEARL ST.	E	1800	0	1800 C	9.0	99.9W 13.6F
4311		RAMP PEARL ST. TO MLK BLVD EB(W. OF LIBERTY)	E	3200	0	3200 C	9.0	99.9W 13.6F
4312		RAMP MLK BLVD. WB TO FRONTAGE RD. WB(W. OF LIBER	W	2800	0	2800 C	9.0	99.9W 13.6F
4313		RAMP 8TH ST. TO HAINES ST. SB	S	3200	0	3200 C	9.0	99.9W 13.6F
4314		RAMP ARLINGTON EXP WB TO HAINES ST. SB	W	1100	0	1100 C	9.0	99.9W 13.6F
4315		RAMP HAINES ST. SB TO ARLINGTON EXP. EB	E	9600	0	9600 C	9.0	99.9W 13.6F
4316		RAMP HAINES ST. SB TO ARLINGTON EXP. WB	S	950	0	950 C	9.0	99.9W 13.6F
4317		RAMP UNIVERSITY BLVD. TO HART BRIDGE EXP. SB	E	2000	W 900	2900 C	9.5	53.6F 13.6F
4319		RAMP ARLINGTON EXP. WB TO HAINES ST NB	W	11500	0	11500 C	9.0	99.9W 13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4320		RAMP EMERSON ST. EXP. SB TO BEACH BLVD. EB	S	1000	0	1000 C	9.0	99.9W 13.6F
4321		RAMP HAINES ST. NB TO ARLINGTON EXP. WB	W	1100	0	1100 C	9.0	99.9W 13.6F
4322		RAMP HART BRIDGE EXP. NB TO UNIVERSITY BLVD	N	1500	0	1500 C	9.0	99.9W 13.6F
4323		RAMP HART BRIDGE EXP NB TO NB RAMP TO ATLANTIC B	N	3400	0	3400 C	9.0	99.9W 13.6F
4324		RAMP FROM MAIN LINE RAMP TO HART BRG EXP TO ATLA	N	7200	0	7200 C	9.0	99.9W 13.6F
4325		RAMP ART MUSEUM DR. TO HART BRIDGE EXP SB.	E	6500	0	6500 C	9.0	99.9W 13.6F
4326		RAMP FROM ATLANTIC BLVD. OFF RAMP TO ART MUSEUM	W	1000	0	1000 C	9.0	99.9W 13.6F
4327		RAMP ATLANTIC BLVD. EB TO MAYPORT RD. NB	E	8900	0	8900 C	9.0	99.9W 13.6F
4328		RAMP ATLANTIC BLVD. EB TO MAYPORT RD. SB	E	3300	0	3300 C	9.0	99.9W 13.6F
4329		RAMP MAYPORT RD. TO ATLANTIC BLVD. WB	W	12000	0	12000 C	9.0	99.9W 13.6F
4330		RAMP ATLANTIC BLVD. WB TO MAYPORT RD.	W	5800	0	5800 C	9.0	99.9W 13.6F
4331		RAMP BLANDING BLVD. NB TO ROOSEVELT BLVD. NB	N	7200	0	7200 C	9.0	99.9W 13.6F
4332		RAMP BLANDING BLVD. SB TO ROOSEVELT BLVD. NB	N	750	0	750 C	9.0	99.9W 13.6F
4333		RAMP ROOSEVELT BLVD. SB TO BLANDING BLVD. SB	S	9200	0	9200 C	9.0	99.9W 13.6F
4334		RAMP BEACH BLVD. EB TO SOUTHSIDE BLVD. SB	S	8800	0	8800 C	9.0	99.9W 13.6F
4335		RAMP EMERSON ST. EXP. SB TO BEACH BLVD. WB	S	250	0	250 C	9.0	99.9W 13.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
====	====	=====	=====	=====	TWO-WAY	FCTR	FCTR	FCTR
4336		RAMP BEACH BLVD. WB TO EMERSON ST. EXP. NB	N	1900	0	1900 C	9.0	99.9W 13.6F
4337		RAMP BEACH BLVD. EB TO EMERSON ST. EXP. NB	N	250	0	250 C	9.0	99.9W 13.6F
4338		RAMP STOCKTON ST. TO I-10 WB	W	4300	0	4300 C	9.0	99.9W 13.6F
4339		RAMP FROM I-95 OFF RAMP TO PHILLIPS HIGHWAY SB	S	3100	0	3100 C	9.0	99.9W 13.6F
4348		RAMP SR 105 WB TO I-95 SB	W	4100	0	4100 C	9.0	99.9W 15.5F
4350		RAMP - FROM HAMMOND BLVD TO I-10 WEST BOUND	W	850	0	850 C	9.0	99.9W 13.6F
4351		RAMP - FROM I-10 EAST BOUND TO HAMMOND BLVD	E	1000	0	1000 C	9.0	99.9W 13.6F
4352		RAMP - FROM RAMONA BLVD TO I-10 EAST BOUND	E	4900	0	4900 C	9.0	99.9W 13.6F
4353		RAM P- FROM HAMMOND BLVD TO I-10 EAST BOUND	E	3100	0	3100 C	9.0	99.9W 13.6F
4354		RAMP - FROM I-10 WEST BOUND TO HAMMOND BLVD	W	9700	0	9700 C	9.0	99.9W 13.6F
4393		RAMP E. 21ST ST. WB OFF TO PHOENIX AVE.	W	3700	0	3700 C	9.0	99.9W 13.6F
4400		SR 5 RAMP BELMONT AVE. N. OF RIVERPLACE BLVD.		0E	0E	8900 F	9.0	99.9W 1.2F
4401		RAMP ACOSTA BRIDGE SB TO PRUDENTIAL DR.	S	5200	0	5200 C	9.0	99.9W 1.2F
4402		RAMP MUSEUM CIR. TO ACOSTA BRIDGE SB	S	450	0	450 C	9.0	99.9W 1.2F
4403		RAMP PALM AVE. TO FULLER WARREN BR. NB	N	15000	0	15000 C	9.0	99.9W 8.4F
4404		RAMP FULLER WARREN BR SB TO PALM AVE.	S	13500	0	13500 C	9.0	99.9W 8.4F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4405		RAMP MARY ST. TO ACOSTA BRIDGE NB	N 6000	0	6000 C	9.0	99.9W	12.7F
4406		RAMP SR 13 NB TO MARY ST.	N 1600	0	1600 C	9.0	99.9W	1.2F
4407		RAMP PARK ST. TO I-95 SB	S 8400	0	8400 C	9.0	99.9W	8.4F
4408		FULLER WARREN BRIDGE NB RAMP TO PARK ST.	N 9400	0	9400 C	9.0	99.9W	8.4F
4413		RAMP I-295 FRONTAGE RD NB. TO COLLINS RD.	N 9800	0	9800 C	9.0	99.9W	13.6F
4414		RAMP COLLINS RD. TO I-295 FRONTAGE RD. NB	N 9800	0	9800 C	9.0	99.9W	13.6F
4415		RAMP I-295 FRONTAGE RD. SB TO COLLINS RD.	S 8700	0	8700 C	9.0	99.9W	13.6F
4416		RAMP COLLINS RD. WB TO I-295 FRONTAGE RD. SB	S 1200	0	1200 C	9.0	99.9W	13.6F
4417		RAMP COLLINS RD. EB TO I-295 FRONTAGE RD. SB.	S 8900	0	8900 C	9.0	99.9W	13.6F
5003		SR 5(MAIN ST) 200'N. OF TALLULAH ST.	N 7800	S 8100	15900 C	9.0	56.1F	6.8F
5006		SR 5 (MAIN ST) 50' S. OF 35TH ST.	N 8800	S 9300	18100 C	9.0	56.1F	6.8F
5007		SR 5 (MAIN ST.) 125' S. OF 27TH ST.	N 9400	S 8500	17900 C	9.0	56.1F	6.8F
5009		SR 5 (MAIN ST) 100' N. OF 14TH ST.	N 6100	S 6400	12500 C	9.0	56.1F	6.8F
5010		SR 5 (MAIN ST) 100' S. OF 10TH ST.	N 6000	S 6200	12200 C	9.0	56.1F	6.8F
5012		SR 5 (MAIN ST) 125' S. OF 5TH ST.	N 5400	S 6300	11700 C	9.0	56.1F	6.8F
5013		SR 5 (MAIN ST.) 50' S. OF 2ND ST.	N 5200	S 6300	11500 C	9.0	56.1F	6.8F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5014		SR 5 (MAIN ST) N. OF STATE ST.	N	3300	S	5700	9000 C	9.0	56.1F	6.8F
5015		SR 5 (OCEAN ST.) 50' N. OF BEAVER ST.(ONE-WAY NB	N	7600		0	7600 C	9.0	99.9W	1.8F
5016		SR 5 (OCEAN ST.) 100' S. OF BEAVER ST.(ONE-WAY N	N	8300		0	8300 C	9.0	99.9W	1.8F
5017		SR 5 (OCEAN ST)150' N. OF BAY ST. (ONE-WAY NB) (N	7800		0	7800 C	9.0	99.9W	1.8F
5018		SR 5 (MAIN ST) N. OF BAY ST. (ONE-WAY SB) (5017=	S	12500		0	12500 C	9.0	99.9W	1.8F
5019		SR 5 (PRUDENTIAL DR) 100' E OF BELMONT AVE.	E	6300	W	5600	11900 C	9.0	56.1F	1.2F
5020		I-10 500' WEST OF I-295 RAMPS	E	49500	W	49000	98500 C	9.0	55.0F	13.6F
5021		SR 5 S. OF ATLANTIC BLVD.	N	3700	S	3900	7600 C	9.0	56.1F	1.2F
5023		SR 5 200' S. OF JOHN ST.	N	11500	S	12500	24000 C	9.0	56.1F	3.0F
5025		SR 10 (BEAVER ST.)100' W. OF MAIN ST.	E	2600	W	2500	5100 C	9.0	56.1F	14.7F
5027		SR 10 (BEAVER ST.) 100' E. OF JEFFERSON ST.	E	4000	W	5000	9000 C	9.0	56.1F	14.7F
5028		SR 10 (BEAVER ST.) 50' W. OF LEE ST.	E	5600	W	6000	11600 C	9.0	56.1F	14.7F
5030		SR 10 (BEAVER ST.) 200' E. OF BAKER ST.	E	11000	W	9400	20400 C	9.0	56.1F	14.7F
5031		SR 10 200' W. OF CANAL ST.	E	7700	W	7300	15000 C	9.0	56.1F	14.7F
5032		SR 10 (BEAVER ST.) 100' W. OF MCDUFF AVE.	E	6500	W	7100	13600 C	9.0	56.1F	14.7F
5033		SR 228 (POST ST.) E. OF WOODRUFF AVE.	E	4800	W	4100	8900 C	9.0	56.1F	1.8A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5035		SR 228 (POST ST.) 50' E. OF EDGEWOOD AVE.	E	0	W	0	7800 C	9.0	56.1F	6.6F
5036		SR 228 (POST ST.) 100' W. OF MCDUFF AVE.	E	0	W	0	6200 C	9.0	56.1F	6.6F
5038		SR 15 (ROOSEVELT BLVD.) 100' N. OF ST. JOHNS AVE	N	20000	S	18500	38500 C	9.0	56.1F	1.9F
5040		SR 15 (ROOSEVELT BLVD.) 75' S. OF MCDUFF AVE.	N	23500	S	26000	49500 C	9.0	56.1F	1.9F
5041		SR.15 (COLLEGE ST.)WEST OF ACOSTA ST.(HPMS)	W	0	E	0	3100 C	9.0	56.1F	6.6F
5046		SR 15 (RIVERSIDE AVE.) S. OF JACKSON ST.	N	13000	S	14000	27000 C	9.0	56.1F	1.8F
5050		SR 211 (RIVERSIDE AVE.) S.OF POST ST.	E	0	W	0	14500 C	9.0	56.1F	1.8F
5052		SR 211(ST JOHNS AVE.) S. OF BAYARD PL.	N	3900	S	4000	7900 C	9.0	56.1F	1.8A
5054		SR 211(HERSCHEL ST.) 50' S. OF BEVERLY ST.	N	0	S	0	10500 C	9.0	56.1F	1.8F
5055		SR 13 (HENDRICKS AVE.) S. OF PRUDENTIAL DR.	N	6000	S	4700	10700 C	9.0	56.1F	1.2F
5056		SR 15 (UNION ST.) 200' E. OF MAIN ST. (ONE-WAY E	E	28000		0	28000 C	9.0	99.9W	1.6F
5058		SR 13 (HENDRICKS AVE.) 100' S. OF ALEXANDRIA PL.	N	14000	S	14000	28000 C	9.0	56.1F	1.2F
5061		SR 115 (STATE ST.) E. OF UNION ST.	E	24500	W	26000	50500 C	9.0	56.1F	1.6F
5062		SR 115 (STATE ST.) 100' E. OF MAIN ST. (ONE-WAY	W	30500		0	30500 C	9.0	99.9W	1.6F
5063		SR 15 STATE ST. 200' W. OF MAIN ST. (ONE-WAY WB	W	26500		0	26500 C	9.0	99.9W	2.2F
5064		SR 15 (STATE ST.) 75' W. OF JEFFERSON ST. (ONE-W	W	26000		0	26000 C	9.0	99.9W	2.2F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5065		SR 15 (KINGS RD) E. OF MYRTLE AVE.	E 7100	W 10500	17600 C	9.0	56.1F	2.2F
5067		SR 15 (UNION ST.) 200' W' OF MAIN ST.) (ONE-WA	E 26000	0	26000 C	9.0	99.9W	2.2F
5068		SR 212 .1 MI. W. OF SR A1A	E 11500	W 9600	21100 C	9.0	55.2F	1.6F
5069		BEACH BLVD. .1 MI. E. OF A1A(HPMS)	E 3000E	W 4000E	7000 F	9.0	55.2F	1.3F
5070		SR A1A 200' N. OF 13TH AVE S.	S 17500	N 17500	35000 C	9.0	55.2F	2.1F
5071		SR A1A 300' S. OF SR 212	S 17500	N 17000	34500 C	9.0	55.2F	2.1F
5072		SR A1A (3RD ST.) 400' S. OF A1A/SR 10	S 11000	N 12000	23000 C	9.0	55.2F	2.1F
5073		SR 10 200' E. OF SR 200 TO N.(BALDWIN)	E 0	W 0	6800 C	9.0	56.1F	14.7F
5074		SR 200' N. SR 10(BALDWIN)	N 0	S 0	4800 C	9.0	56.1F	26.1F
5075		SR 15 (UNION ST.) 300' W. OF JEFFERSON ST. (ONE-	E 28500	0	28500 C	9.0	99.9W	2.2F
5080		SR 117 (BRENTWOOD AVE.) N. OF BASSWOOD AVE.	N 9700	S 8000	17700 C	9.0	56.1F	2.1F
5081		SR 10/US 90 200' E. OF LIMA ST. (BALDWIN)	E 5600	W 5400	11000 C	9.0	56.1F	14.7F
5082		SR 200 100' N. OF MOORE ST.	N 5400	S 5400	10800 C	9.0	54.2F	26.1F
5084		SR 10 300' W. OF YELLOW WATER RD.	E 0	W 0	6700 C	9.0	56.1F	14.7F
5086		SR 10 .2 MI. E. OF YELLOW WATER RD.	E 0	W 0	5500 C	9.0	56.1F	14.7F
5088		SR 10 E. OF SR A1A TO N. (E. OF RAMPS)	E 16500	W 18000	34500 C	9.0	55.2F	1.6A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5091		SR 10 175' W. OF 3RD ST.	E 11500	W 11500	23000 C	9.0	55.2F	2.1F
5092		SR A1A 100' S. OF 15TH AVE.	S 14000	N 14000	28000 C	9.0	55.2F	2.1F
5094		SR A1A 300' N. OF MARSH LANDING PARKWAY	N 12500	S 25000	37500 C	9.0	55.2F	2.1F
5095		SR 212 W. OF 10TH. ST.	E 16500	W 15000	31500 C	9.0	55.2F	1.6F
5098		SR A1A .1 MI. SW OF CR 203	N 18500	S 19500	38000 C	9.0	55.2F	2.1F
5099		SR 114 (8TH ST.) E. OF DR. ROY BAKER ST.	E 9400	W 10000	19400 C	9.0	56.1F	5.9F
5100		SR 114 (8TH ST.) 200' W. OF BOULEVARD AVE.	E 7100	W 7700	14800 C	9.0	56.1F	5.9F
5101		I-295 NB FRONTAGE RD. S. OF BLANDING BLVD.	N 29500	0	29500 C	9.0	99.9W	7.8F
5102		I-295 NB FRONTAGE RD. N. OF BLANDING BLVD.	N 28500	0	28500 C	9.0	99.9W	7.8F
5103		I-295 NB FRONTAGE RD. N. OF COLLINS RD.	N 24500	0	24500 C	9.0	99.9W	7.8F
5104		I-295 SB FRONTAGE RD. N. OF COLLINS RD.	S 25500	0	25500 C	9.0	99.9W	7.8F
5105		I-295 SB FRONTAGE RD. N. OF BLANDING BLVD.	S 30500	0	30500 C	9.0	99.9W	7.8F
5106		I-295 SB FRONTAGE RD. S. OF BLANDING BLVD.	S 20000	0	20000 C	9.0	99.9W	7.8F
5500		SR 5 (MAIN ST.) 100' N. OF 41ST ST.	N 9300	S 10000	19300 C	9.0	56.1F	6.8F
5501		SR 5 50' N. OF BERTHA ST.	N 6000	S 6200	12200 C	9.0	56.1F	1.2F
5503		SR 15 (ROOSEVELT BLVD) 75' S. OF EDGEWOOD AVE.	N 24500	S 27000	51500 C	9.0	56.1F	1.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
5505		SR 211 (RIVERSIDE AVE) 100'S. OF GOODWIN ST.	N	0	S	0	13500 C	9.0	56.1F	1.8F
5506		SR 211 (ST JOHNS AVE) 150' N. OF GLENDALE ST.	N	0	S	0	8300 C	9.0	56.1F	1.8F
5507		SR 13 (HENDRICKS AVE) S. OF LASALLE ST.	N	8300	S	7800	16100 C	9.0	56.1F	1.2F
5508		SR 15 (KINGS RD) 100' W. OF SEMINARY ST.	E	6200	W	6700	12900 C	9.0	56.1F	2.2F
5511		I-95 (FULLER WARREN BR.)	N	86000E	S	77000E	163000 X	9.0	53.6F	7.8F
5514		I-95 S. OF SR 115 (LEM TURNER RD.)	N	64000	S	64500	128500 C	9.0	53.6F	8.4F
5515		I-95 BETW. HECKSCHER DR. & EDGEWOOD AVE.	N	51500	S	55000	106500 C	9.0	53.6F	8.4F
5519		I-10 WEST OF LANE AVE.	E	55500	W	59500	115000 C	9.0	55.0F	5.0F
5520		MLK 200' W. OF WILSON ST.	E	15000	W	13500	28500 C	9.0	56.1F	10.5F
5524		SR 228 AT S. END HART BRIDGE	N	27000E	S	26000E	53000 F	9.0	56.1F	10.5F
5590		SR 115 .1 MI. N. OF SR 113	N	3300		0	3300 C	9.0	99.9W	1.6F
5591		SR 115 (STATE ST.) E. OF LIBERTY ST.	N	23500		0	23500 C	9.0	99.9W	1.6F
6002		RAMP RIVERSIDE AVE. TO ACOSTA BRIDGE SB	S	7800		0	7800 C	9.0	99.9W	1.2F
6004		SR 228 (JEFFERSON RAMP) S. OF WATER ST	S	7400		0	7400 C	9.0	99.9W	1.9F
7001		SPORTSMAN CLUB RD. N. OF PRITCHARD RD. (NHS) (SI	N	1300	S	1200	2500 C	9.0	56.1F	63.3A
7002		CLIFFORD LANE W. OF US 1/NEW KINGS RD. (NHS)	E	0	W	0	900 C	9.0	56.1F	2.1F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
7003		DAVID RAWLS RD. N. OF TERMINAL ENT. (NHS) (SIS)	N 3100	S 3100	6200 C	9.0	56.1F	46.6A
7004		TALLEYRAND .1 MI. N. OF 21ST ST. (NHS) (SIS)(HPM	N 1600	S 1600	3200 C	9.0	56.1F	2.1F
7005		PRITCHARD RD. W. OF I-295 (NHS) (SIS)	E 16000	W 16000	32000 C	9.0	56.1F	12.7F
7006		OLD KINGS RD. SE OF MELSON AVE.(NHS) (SIS)(HPMS	E 250	W 200	450 C	9.0	56.1F	21.6A
7007		PHOENIX AVE. N. OF MLK (NHS) (SIS)	N 3800	S 4000	7800 C	9.0	56.1F	2.1F
7009		PECAN PARK RD. N. OF DUVAL RD.	N 0	S 0	2500 C	9.0	56.1F	2.1F
8001		PEARL ST. N. OF FORSYTH ST. (SIS)	S 2800	0	2800 C	9.0	99.9W	1.8F
8002		21ST ST. W. OF TALLYRAND (SIS)	E 2500	W 2300	4800 C	9.0	56.1F	1.8F
8003		FORSYTH ST. W. OF LEE ST. (SIS)	E 7300	0	7300 C	9.0	99.9W	1.8F
8004		WOODWINGS RD. W. OF SR 243 (SIS)	W 1000	E 750	1750 C	9.0	56.1F	19.1A
8005		JULIA ST. N. OF FORSYTH ST. (SIS)	N 2300	0	2300 C	9.0	99.9W	1.8F
8006		DIXIE CLIPPER DR. .1 MI. W. OF SR 102 (SIS)	E 12500	0	12500 C	9.0	99.9W	1.3F
8007		YANKEE CLIPPER DR. W. OF SR 102 (SIS)	W 11000	0	11000 C	9.0	99.9W	1.3F
8008		ADAMS ST. W. OF JULIA ST. (SIS)	W 6800	0	6800 C	9.0	99.9W	1.8F
8009		OLD EDGEWOOD DR. W. OF EDGEWOOD AVE. N. (SIS)	N 600	S 650	1250 C	9.0	56.1F	68.9A
8010		LEE ST. N. OF FORSYTH ST. (SIS)	N 1400	S 850	2250 C	9.0	56.1F	1.8F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
====	====	=====	=====	=====	=====	=====	=====	=====
8011		NEW BERLIN RD. .5 MI. S. OF SR 105(SIS)	N 1500	S 1500	3000 C	9.0	56.1F	38.5A
8012		NEW WORLD AVE. 0.5 MI. S. OF SR 134 (103RD ST)	N 1700	S 1500	3200 C	9.0	56.1F	2.5A
9006		CR 217 S. OF SR 228 (HPMS)	N 0	S 0	3500 C	9.0	56.1F	1.3F
9007		OLD KINGS RD. N. OF PLUMMER RD. (HPMS)	0E	0E	1400 F	9.0	56.1F	1.3F
9008		PECAN PARK RD. W. OF I-95 (HPMS)	E 0	W 0	5900 C	9.0	56.1F	1.3F
9009		OLD PLANK RD. W. OF JONES RD. (HPMS)	E 0	W 0	3500 C	9.0	56.1F	1.3F
9010		FIRESTONE RD. S. OF WILSON BLVD. (HPMS)	N 0	S 0	5600 C	9.0	56.1F	1.3F
9011		MELSON AVE. N. OF US 90 (HPMS)	N 0	S 0	3200 C	9.0	56.1F	1.3F
9012		MYRTLE AVE. S. OF W. 33RD ST. (HPMS)	N 0	S 0	2200 C	9.0	56.1F	1.3F
9014		PULASKI RD. S. OF NEW BERLIN RD. (HPMS)	N 0	S 0	7800 C	9.0	56.1F	1.3F
9015		CESERY BLVD. S. OF FT. CAROLINE RD. (HPMS)	N 0	S 0	3800 C	9.0	56.1F	1.3F
9016		LIBERTY ST. N. OF 8TH ST. (HPMS)	N 0	S 0	2400 C	9.0	56.1F	1.3F
9017		POWERS RD. S. OF UNIVERSITY BLVD. (HPMS)	N 11000	S 10000	21000 C	9.0	56.1F	1.3F
9018		PARENTAL HOME RD. N. OF DEAN RD. (HPMS)	N 0	S 0	11500 C	9.0	56.1F	1.3F
9019		OLD ST. AUGUSTINE RD. E. OF DEEDER LANE (HPMS)	E 10500	W 11000	21500 C	9.0	56.1F	1.3F
9020		S. BEACH PKY N. OF OSCEOLA AVE. (HPMS)	N 6000	S 5600	11600 C	9.0	56.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
====	====	=====	=====	=====	=====	=====	=====	=====	=====	=====
9021		16TH AVE. S. WEST OF 5TH ST. (HPMS)	N	0	S	0	2300 C	9.0	56.1F	1.3F
9022		5TH AVE. E. OF 10TH ST. S. (HPMS)	E	0	W	0	200 C	9.0	56.1F	1.3F
9023		12TH AVE. S. WEST OF 3RD ST. (HPMS)	E	0	W	0	500 C	9.0	56.1F	1.3F
9024		RAMPART RD. N. OF ARGYLE FOREST BLVD (HPMS)	N	9200	S	8300	17500 C	9.0	56.1F	1.3F
9025		NEW BERLIN RD. S. OF FAYE RD. (HPMS)	E	0	W	0	6500 C	9.0	56.1F	1.3F
9026		LOSCO RD. E. OF OLD ST. AUGUSTINE RD. (HPMS)	E	0	W	0	15500 C	9.0	56.1F	1.3F
9027		KERNAN BLVD. N. OF JTB RAMPS (HPMS)	N	15000	S	15000	30000 C	9.0	56.1F	1.3F
9028		OLD PLANK RD. E. OF HALSEMA RD. (HPMS)	E	0	W	0	1700 C	9.0	56.1F	1.3F
9029		OLD ST. AUGUSTINE RD. S. OF GREENLAND (HPMS)	N	11500	S	11500	23000 C	9.0	56.1F	1.3F
9031		LIBERTY ST. N. OF BAY ST. (HPMS)	N	900	S	2100	3000 C	9.0	56.1F	1.3F
9032		JEFFERSON ST. N. OF BEAVER ST. (HPMS)	S	8400		0	8400 C	9.0	99.9W	1.3F
9033		IMESON PK BLVD. .1 MI. E. OF MAIN ST. (HPMS)	E	850	W	850	1700 C	9.0	56.1F	1.3F
9034		MONUMENT RD. S. OF CLASSIC OAK RD. (HPMS)	N	12500	S	12000	24500 C	9.0	56.1F	1.3F
9035		BRANDY BRANCH RD. S. OF US 90 (HPMS)	S	0	N	0	700 C	9.0	56.1F	1.3F
9036		EASTPORT RD. E. OF MAIN ST. (HPMS)	E	0	W	0	6400 C	9.0	56.1F	1.3F
9037		CR 203 S. OF 37TH AVE. S. (HPMS)	N	0	S	0	5200 C	9.0	56.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
=====	=====	=====	=====	=====	=====	=====	=====	=====
9038		HODGES BLVD. N. OF CHAUNY RD. (HPMS)	N 13000	S 13000	26000 C	9.0	56.1F	1.3F
9039		MORSE AVE. E. OF JAMMES RD. (HPMS)	E 0	W 0	4900 C	9.0	56.1F	1.3F
9041		OLD ST. AUSUSTINE RD. N. OF LORETTO RD.. (HPMS)	N 19500	S 19500	39000 C	9.0	56.1F	1.3F
9042		JULINGTON CREEK RD. E. OF CORMORANT DR. (HPMS)	E 0	W 0	5800 C	9.0	56.1F	1.3F
9043		COMMONWEALTH AVE. E. OF W. PALM AVE. (HPMS)	E 4800	W 4800	9600 C	9.0	56.1F	1.3F
9044		BRADDOCK RD. N. OF DUNN AVE. (HPMS)	N 0	S 0	2400 C	9.0	56.1F	1.3F
9045		YELLOW WATER RD. S. OF US 90 (HPMS)	N 0	S 0	3700 C	9.0	56.1F	1.3F
9046		PENMAN RD. S. OF 12TH AVE. N. (HPMS)	N 0	S 0	17500 C	9.0	56.1F	1.3F
9047		SAN PABLO RD. N. OF CROSSWATER BLVD.	N 14500	S 15500	30000 C	9.0	56.1F	1.3F
9048		I-295 BETWEEN RAMPS TO I-95 SB (S. INTERCHANGE)	N 19000	S 20000	39000 C	9.0	56.1F	10.3F
9100		PECAN PARK RD. E. OF INTL AIRPORT BLVD. (HPMS)	0E	0E	8700 X	9.0	56.1F	1.3F
9101		TALLEYRAND AVE. .1 MI. S. OF 8TH ST.	0E	0E	4800 X	9.0	56.1F	1.3F
9102		CHAFFEE RD .1 MI. N. OF US 90	N 3300E	S 3200E	6500 R	9.0	56.1F	1.3F
9103		LENOX AVE .1 MI. W. OF FOURAKER RD.	0E	0E	7900 R	9.0	56.1F	1.3F
9104		BOWDEN RD. .1 MI. E. OF RICHARD ST.	W 10000E	E 12500E	22500 R	9.0	56.1F	1.3F
9105		SHINDLER DR. .1 MI. S. OF 103RD ST.	0E	0E	11000 R	9.0	56.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
====	====	=====	=====	=====	TWO-WAY	FCTR	FCTR	FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====
9106		RICKER RD. .1 MI. S. OF 103RD ST.	0E	0E	10000 R	9.0	56.1F	1.3F
9107		HARLOW BLVD. .1 MI. N. OF 103RD ST.	0E	0E	6700 R	9.0	56.1F	1.3F
9108		FOURAKER RD. .1 MI. S. OF HERLONG RD.	0E	0E	11500 R	9.0	56.1F	1.3F
9109		ORTEGA FARMS BLVD. .1 MI. S. OF TIMUQUANA RD.	N 2200E S	2000E	4200 R	9.0	56.1F	1.3F
9110		PARK ST. .1 MI. S. OF EDGEWOOD AVE.	N 6800E S	6300E	13100 R	9.0	56.1F	1.3F
9111		PARK ST. .1 MI. W. OF BLANDING BLVD.	E 3400E W	4500E	7900 R	9.0	56.1F	1.3F
9112		BULLS BAY HWY .1 MI. N. OF COMMONWEALTH AVE.	0E	0E	3800 R	9.0	56.1F	1.3F
9113		COMMONWEALTH AVE. .1 MI. E. OF JONES RD.	0E	0E	2200 R	9.0	56.1F	1.3F
9114		CANAL ST. .1 MI. S. OF MONCRIEF RD.	N 2400E S	2000E	4400 R	9.0	56.1F	1.3F
9115		STOCKTON ST. .1 MI. N. OF RIVERSIDE AVE.	N 4300E S	4100E	8400 R	9.0	56.1F	1.3F
9116		FOREST ST. .1 MI. W. OF RIVERSIDE AVE.	E 4300E W	4400E	8700 R	9.0	56.1F	1.3F
9117		EDGEWOOD AVE. .1 MI. N. OF ST JOHNS AVE.	N 1700E S	2000E	3700 R	9.0	56.1F	1.3F
9118		ALTA DR. .1 MI. N. OF NEW BERLIN RD.	0E	0E	2600 R	9.0	56.1F	1.3F
9119		LEONID RD. .1 MI. E. OF LEM TURNER RD.	E 4700E W	4600E	9300 R	9.0	56.1F	1.3F
9120		STARRATT RD. .1 MI. E. OF DUVAL STATION RD.	0E	0E	9500 R	9.0	56.1F	1.3F
9121		NEW BERLIN RD. .1 MI. E. OF PULASKI RD.	0E	0E	6500 R	9.0	56.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9122		PEARL ST. .1 MI. S. OF TALLULAH AVE.	N 2400E	S 2000E	4400 R	9.0	56.1F	1.3F
9123		LAWTON AVE. .1 MI. E. OF MAIN ST.	0E	0E	1100 R	9.0	56.1F	1.3F
9124		ROGERO RD. .1 MI. N. OF MERRILL RD.	N 4300E	S 4000E	8300 R	9.0	56.1F	1.3F
9125		LONE STAR RD. .1 MI. E. OF ARLINGTON RD.	E 4800E	W 3400E	8200 R	9.0	56.1F	1.3F
9126		TOWNSEND BLVD. .1 MI. S. OF MERRILL RD.	0E	0E	8300 T	9.0	56.1F	1.3F
9127		GLYNLEA RD. .1 MI. S. OF ATLANTIC BLVD.	0E	0E	4100 T	9.0	56.1F	1.3F
9128		ART MUSEUM DR. .1 MI. S. OF ATLANTIC BLVD.	0E	0E	7100 T	9.0	56.1F	1.3F
9129		SPRING PARK RD. .1 MI. N. OF EMERSON ST.	0E	0E	9800 T	9.0	56.1F	1.3F
9130		SAN MARCO BLVD. .1 MI. S. OF GARY ST.	N 9800E	S 10000E	19800 T	9.0	56.1F	1.3F
9131		JACKSONVILLE DR. .1 MI. E. OF SOUTH BEACH PKY	E 3000E	W 2600E	5600 T	9.0	56.1F	1.3F
9132		FLORIDA AVE .1 MI. N. OF ALBERT ST.	N 0	S 0	1700 C	9.0	56.1F	1.3F
9133		BLVD. ST. .1 MI. S. OF GOLFAIR BLVD.	N 1600E	S 1400E	3000 S	9.0	56.1F	1.3F
9134		SAN JOSE BLVD. .1 MI. W. OF HENDRICKS AVE.	0E	0E	3200 T	9.0	56.1F	1.3F
9135		13TH AVE. .1 MI. W. OF 3RD ST.	0E	0E	3200 T	9.0	56.1F	1.3F
9136		TOLEDO RD. .1 MI. E. OF ST. AUGUSTINE RD.	0E	0E	1900 T	9.0	56.1F	1.3F
9137		HOGAN RD. .1 MI. S. OF BEACH BLVD.	0E	0E	6500 T	9.0	56.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9138		BOWDEN RD. .1 MI. E. OF SPRING PARK RD.	E 11500E	W 10000E	21500 T	9.0	56.1F	1.3F
9139		SPRING PARK RD. .1 MI. N. OF BOWDEN RD.	0E	0E	16500 T	9.0	56.1F	1.3F
9140		SPRING GLEN RD. .1 MI. S. OF BEACH BLVD.	0E	0E	7500 T	9.0	56.1F	1.3F
9141		BEAUCLERC RD. .1 MI. W. OF SAN JOSE BLVD.	0E	0E	7900 T	9.0	56.1F	1.3F
9142		OLD ST. AUGUSTINE RD. .1 MI. N. OF HOOD RD.	0E	0E	24500 T	9.0	56.1F	1.3F
9143		LORETTO RD. .1 MI. E. OF SAN JOSE BLVD.	0E	0E	15500 T	9.0	56.1F	1.3F
9144		FLORIDA BLVD. .1 MI. E. OF PENMAN RD.	0E	0E	5200 T	9.0	56.1F	1.3F
9145		N. 8TH AVE. .1 MI. E. OF PENMAN RD.	0E	0E	2400 T	9.0	56.1F	1.3F
9146		15TH AVE. .1 MI. E. OF PENMAN RD.	E 0	W 0	1800 C	9.0	56.1F	1.3F
9147		SEAGATE AVE. .1 MI. E. OF PENMAN RD.	0E	0E	3700 T	9.0	56.1F	1.3F
9148		1ST ST. .1 MI. S. OF 8TH AVE S.	0E	0E	2900 T	9.0	56.1F	1.3F
9149		PARK ST. .1 MI. E. OF LANE AVE.	0E	0E	4400 T	9.0	56.1F	1.3F
9150		OLD PLANK RD. .1 MI. E. OF JONES RD.	0E	0E	2800 T	9.0	56.1F	1.3F
9151		LENOX AVE. .1 MI. E. OF CAHOON AVE.	0E	0E	2200 T	9.0	56.1F	1.3F
9152		MCDUFF AVE. .1 MI. S. OF US 17	0E	0E	5000 T	9.0	56.1F	1.3F
9153		YELLOW BLUFF RD. .1 MI. N. OF NEW BERLIN RD.	0E	0E	10000 T	9.0	56.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
====	====	=====	=====	=====	=====	=====	=====	=====
9154		GREENLAND RD. .1 MI. E. OF ST. AUGUSTINE RD.	0E	0E	12500 T	9.0	56.1F	1.3F
9155		ELLIS RD. .1 MI. N. OF NORMANDY BLVD.	0E	0E	5000 S	9.0	56.1F	1.3F
9156		MELSON AVE. .1 MI. N. OF 12TH ST.	0E	0E	2000 S	9.0	56.1F	1.3F
9157		IMESON RD. .1 MI. N. OF PRITCHARD RD.	0E	0E	7200 S	9.0	56.1F	1.3F
9158		REGENCY SQ. BLVD. .1 MI. E. OF MILL CREEK RD.	0E	0E	10000 S	9.0	56.1F	1.3F
9159		FOREST BLVD. .1 MI. N. OF BEACH BLVD.	0E	0E	4000 S	9.0	56.1F	1.3F
9160		CRAVEN RD. .1 MI. N. OF SUNBEAM RD.	0E	0E	7200 S	9.0	56.1F	1.3F
9161		HOGAN RD. .1 MI. E. OF BELFORT RD.	0E	0E	5000 S	9.0	56.1F	1.3F
9162		OLD ST. AUGUSTINE RD. .1 MI. W. OF PHILLIPS HWY	E 7400E	W 8300E	15700 S	9.0	56.1F	1.3F
9163		SHAD RD. .1 MI. E. OF HOOD RD.	E 8600E	W 8600E	17200 S	9.0	56.1F	1.3F
9164		HOOD RD. .1 MI. S. OF SUNBEAM RD.	0E	0E	8600 S	9.0	56.1F	1.3F
9165		FOURACKER RD. .1 MI. N. OF HERLONG RD.	0E	0E	10000 S	9.0	56.1F	1.3F
9166		KERNAN BLVD. .1 MI. S. OF MCCORMICK RD.	0E	0E	16000 S	9.0	56.1F	1.3F
9167		CRYSTAL SPRINGS RD. .1 MI. E. OF CHAFFEE RD.	0E	0E	7800 S	9.0	56.1F	1.3F
9168		BULLS BAY HWY .1 MI. N. OF US 90	0E	0E	5000 S	9.0	56.1F	1.3F
9169		NEW BERLIN RD. .1 MI. E. OF US 17	0E	0E	10000 S	9.0	56.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9170		MANDRIN RD. .1 MI. N. OF LORETTO RD.	0E	0E	8600 S	9.0	56.1F	1.3F
9171		GREENLAND RD. .1 MI. W. OF PHILLIPS HWY	E 9300E	W 10000E	19300 S	9.0	56.1F	1.3F
9172		WILSON BLVD. .1 MI. E. OF FOURAKER RD.	0E	0E	7500 S	9.0	56.1F	1.3F
9173		S. OLD KINGS RD. .1 MI. N. OF BAYMEADOWS RD.	0E	0E	17500 S	9.0	56.1F	1.3F
9174		1ST ST. .1 MI. N. OF 8TH AVE S.	0E	0E	2400 S	9.0	56.1F	1.3F
9175		OSCEOLA AVE. .1 MI. W. OF 3RD ST.	0E	0E	5200 S	9.0	56.1F	1.3F
9176		OLD MIDDLEBURG RD. .1 MI. N. OF 103RD ST.	0E	0E	15000 S	9.0	56.1F	1.3F
9177		UNIVERSITY BLVD. .1 MI. N. OF CESERY BLVD.	0E	0E	9600 S	9.0	56.1F	1.3F
9178		WESCONNET BLVD. .1 MI. N. OF BLANDING BLVD.	0E	0E	3900 S	9.0	56.1F	1.3F
9179		MILL CREEK RD. .1 MI. S. OF LONE STAR RD.	0E	0E	8300 S	9.0	56.1F	1.3F
9180		SAN MARCO BLVD. .1 MI. N. OF I-95 UNDERPASS	N 5500E	S 5900E	11400 S	9.0	56.1F	1.3F
9181		INDEPENDENT DR. .1 MI. E. OF OCEAN ST.	0E	0E	5800 S	9.0	99.9W	1.3F
9182		CHURCH ST. W. OF JOHNSON ST.	0E	0E	800 T	9.0	56.1F	1.3F
9183		ASHLEY ST. .1 MI. W. OF LIBERTY ST.	0E	0E	450 F	9.0	99.9W	1.3F
9184		ST. AUGUSTINE RD. .1 MI. N. OF EMERSON ST.	0E	0E	8500 F	9.0	56.1F	1.3F
9185		TOUCHTON RD. .1 MI. E. OF BELFORT RD.	E 6600E	W 5200E	11800 F	9.0	56.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9186		WILSON BLVD. .1 MI. E. OF LANE AVE.	E 10000E	W 10000E	20000 F	9.0	56.1F	1.3F
9187		FAYE RD. .1 MI. E. OF EASTPORT RD.	0E	0E	2000 F	9.0	56.1F	1.3F
9188		BAY ST. .1 MI. W. OF JEFFERSON ST.	0E	0E	6600 F	9.0	99.9W	1.3F
9189		LANE AVE. .1 MI. S. OF WILSON BLVD.	0E	0E	6900 F	9.0	56.1F	1.3F
9191		CHAFFEE RD. .1 MI. S. OF NORMANDY BLVD.	0E	0E	7100 F	9.0	56.1F	1.3F
9192		HYDE GROVE AVE. .1 MI. W. OF LANE AVE.	0E	0E	6500 F	9.0	56.1F	1.3F
9193		ST JOHNS BLUFF RD. .1 MI. S. OF ATLANTIC BLVD.	N 14500E	S 12500E	27000 F	9.0	56.1F	1.3F
9194		MONROE ST. .1 MI. W. OF MAIN ST.	0E	0E	3000 F	9.0	99.9W	1.3F
9195		RICKER RD. .1 MI. S. OF MORSE AVE.	0E	0E	3600 F	9.0	56.1F	1.3F
9196		HALSEMA RD. .1 MI. N. OF US 90	0E	0E	3800 F	9.0	56.1F	1.3F
9197		CAPPER RD. .1 MI. W. OF LEM TURNER RD.	0E	0E	7700 F	9.0	56.1F	1.3F
9198		CAMPUS BLVD. .1 MI. S. OF DUNN AVE.	N 3200E	S 3700E	6900 F	9.0	56.1F	1.3F
9199		MERRILL RD. .1 MI. E. OF UNIVERSITY BLVD.	E 7400E	W 7700E	15100 F	9.0	56.1F	1.3F
9200		ST. JOHNS BLUFF RD. .1 MI. S. OF MONUMENT RD.	N 7100E	S 6600E	13700 F	9.0	56.1F	1.3F
9201		DUVAL RD. .1 MI. N. OF DUNN AVE.	0E	0E	5600 F	9.0	56.1F	1.3F
9202		MONCRIEF RD. .1 MI. W. OF EDGEWOOD AVE.	E 5400E	W 5400E	10800 F	9.0	56.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
=====	=====	=====	=====	=====	=====	=====	=====	=====
9203		JONES RD. .1 MI. N. OF US 90	0E	0E	4400 F	9.0	56.1F	1.3F
9204		45TH ST. .1 MI. W. OF MONCRIEF RD.	E 0	W 0	5300 C	9.0	56.1F	1.3F
9205		JAMMES RD. .1 MI. N. OF 103RD ST.	N 0	S 0	8100 C	9.0	56.1F	1.3F
9206		SAN JOSE BLVD. .1 MI. NW OF HENDRICKS AVE.	N 0	S 0	4000 C	9.0	56.1F	1.3F
9207		MANDRIN RD. .1 MI. N. OF SAN JOSE BLVD.	N 0	S 0	2400 C	9.0	56.1F	1.3F
9208		HOOD LANDING RD. .1 MI. S. OF ST AUGUSTINE RD.	N 0	S 0	6400 C	9.0	56.1F	1.3F
9209		DUVAL STATION RD. .1 MI. E. OF MAIN ST.	E 0	W 0	10000 C	9.0	56.1F	1.3F
9210		YELLOW BLUFF RD. .1 MI. E. OF MAIN ST.	E 0	W 0	3500 C	9.0	56.1F	1.3F
9211		PICKETTVILLE RD. .1 MI. N. OF US 90	N 0	S 0	3700 C	9.0	56.1F	1.3F
9212		PICKETTVILLE RD. .1 MI. W. OF OLD KINGS RD.	E 0	W 0	1300 C	9.0	56.1F	1.3F
9213		118TH ST. .1 MI. E. OF BLANDING BLVD.	E 0	W 0	3000 C	9.0	56.1F	1.3F
9214		FAYE RD. .1 MI. W. OF NEW BERLIN RD.	E 0	W 0	2300 C	9.0	56.1F	1.3F
9215		NEW BERLIN RD. .1 MI. N. OF HECKSHIRE DR.	N 0	S 0	7200 C	9.0	56.1F	1.3F
9216		COLLINS RD. .1 MI. W. OF BLANDING BLVD.	E 8700	W 8900	17600 C	9.0	56.1F	1.3F
9217		BROWARD RD. .1 MI. E. OF LEM TURNER RD.	E 0	W 0	7400 C	9.0	56.1F	1.3F
9218		CLARK RD. .1 MI. E. OF BROWARD RD.	E 0	W 0	2200 C	9.0	56.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT	"K"	"D"	"T"
====	====	=====	=====		=====		=====	=====	=====	=====
9219		FT. CAROLINE RD. .1 MI. E. OF UNIVERSITY BLVD.		0E		0E	16000 6	9.0	56.1F	1.3F
9221		FT. CAROLINE RD. .1 MI. W. OF MERRILL RD.	E	0	W	0	8700 C	9.0	56.1F	1.3F
9222		FT. CAROLINE RD. .1 MI. W. OF MONUMENT RD.	E	0	W	0	6100 C	9.0	56.1F	1.3F
9223		BELFORT RD. .1 MI. S. OF BOWDEN RD.	N	0	S	0	16000 C	9.0	56.1F	1.3F
9224		BOWDEN RD. .1 MI. W. OF BELFORT RD.	E	0	W	0	5600 C	9.0	56.1F	1.3F
9225		OLD KINGS RD. .1 MI. E. OF ST AUGUSTINE RD.	E	0	W	0	3800 C	9.0	56.1F	1.3F
9226		OLIVER ST. .1 MI. E. OF US 301	E	0	W	0	1200 C	9.0	56.1F	1.3F
9227		SEABREEZE AVE. .1 MI. W. OF ROBERTS DR.	E	0	W	0	2300 C	9.0	56.1F	1.3F
9228		ROBERTS DR. .1 MI. N. OF SEABREEZE AVE.	N	0	S	0	1800 C	9.0	56.1F	1.3F
9229		PARENTAL HOME RD. .1 MI. N. OF BOWDEN RD.	N	6200	S	5500	11700 C	9.0	56.1F	1.3F
9230		SEMINOLE RD. .1 MI. N. OF ATLANTIC BLVD.	N	0	S	0	6800 C	9.0	56.1F	1.3F
9231		OLD KINGS RD. .1 MI. N. OF PRITCHARD RD.	N	0	S	0	3400 C	9.0	56.1F	1.3F
9232		CATOMA ST. .1 MI. S. OF TIMUQUANA RD.	N	0	S	0	2700 C	9.0	56.1F	1.3F
9233		EMERSON ST. EXT. .1 MI. E. OF EMERSON ST. EXPWY.	E	0	W	0	5600 C	9.0	56.1F	1.3F
9234		PRITCHARD RD. .1 MI. E. OF JONES RD.	E	3400	W	3400	6800 C	9.0	56.1F	1.3F
9235		4TH AVE. N. .1 MI. E. OF PENMAN RD.	E	0	W	0	850 C	9.0	56.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9236		16TH AVE. S. .1 MI. E. OF ROBERTS DR.	E	0	W	0	1000 C	9.0	56.1F	1.3F
9237		FAIRWAY LANE .1 MI. S. OF BEACH BLVD.	N	0	S	0	1700 C	9.0	56.1F	1.3F
9238		118TH ST. .1 MI. W. OF BLANDING BLVD.	E	0	W	0	1400 C	9.0	56.1F	1.3F
9239		E. DUVAL ST. .1 MI. W. OF TALLEYRAND AVE.	W	0	E	0	2900 C	9.0	56.1F	1.3F
9240		SHERRY DR. .1 MI. N. OF ATLANTIC BLVD.	N	0	S	0	5400 C	9.0	56.1F	1.3F
9241		NEW WORLD AVE. .1 MI. N. OF NORMANDY BLVD.	N	3000	S	2800	5800 C	9.0	56.1F	1.3F
9242		UNIVERSITY BLVD. .1 MI. S. OF FT. CAROLINE RD.	N	7700	S	8600	16300 C	9.0	56.1F	1.3F
9245		POST ST. .1 MI. W. OF ROOSEVELT BLVD.	E	0	W	0	6900 C	9.0	56.1F	1.3F
9246		ST. AUGUSTINE RD. .1 MI. N. OF SR 13		0E		0E	16000 R	9.0	56.1F	1.3F
9249		DUVAL RD. .1 MI. N. OF ARMSDALE RD.	N	0	S	0	6800 C	9.0	56.1F	1.3F
9250		JAMMES RD. .1 MI. S. OF 103RD ST.		0E		0E	8200 R	9.0	56.1F	1.3F
9251		MANDARIN RD. N. .1 MI. W. OF SR 13		0E		0E	5400 R	9.0	56.1F	1.3F
9252		PECAN PARK RD. .1 MI. N. OF YANKEE CLIPPER DR.	N	0	S	0	6200 C	9.0	56.1F	1.3F
9253		PICKETTville RD. .1 MI. N. OF COMMONWEALTH AVE.		0E		0E	5500 R	9.0	56.1F	1.3F
9254		MT PLEASANT RD, 600 FT N OF SR-116/MCCORMICK RD	E	0	W	0	5000 C	9.0	56.1F	1.3F
9255		BOWDEN RD. .1 MI. E. OF SR 109		0E		0E	22500 R	9.0	56.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"	
=====	=====	=====	=====	=====	=====	=====	=====	=====	
9256		COLLEGE ST. .1 MI. N. OF MARGARET ST.	0E	0E	2600 R	9.0	56.1F	1.3F	
9257		STARRATT RD. .1 MI. N. OF NEW BERLIN RD.	0E	0E	6900 R	9.0	56.1F	1.3F	
9258		HAINES ST. .1 MI. S. OF DUVAL ST.(HPMS)	W	2300E E	2300E	4600 R	9.0	56.1F	1.3F
9259		GIRVIN RD. .1 MI. N. OF ATLANTIC BLVD.	0E	0E	13000 R	9.0	56.1F	1.3F	
9261		VALLEY RIDGE RD. .2 MI. N. OF NOCATEE PKWY	N	750E S	750E	1500 T	9.0	56.1F	1.3F
9262		TOWN CENTER PKWY .1 MI. E. OF GATE PKWY	E	20000E W	19000E	39000 T	9.0	56.1F	1.3F
9263		GATE PKWY .2 MI. W. OF I-295	W	7600E E	7700E	15300 T	9.0	56.1F	1.3F
9264		NOCATEE PKWY .1 MI. E. OF DUVAL CO. LINE	E	6900E W	6900E	13800 T	9.0	56.1F	1.3F
9265		FRM NOCATEE TO US 1 .1 MI. W. OF DUVAL CO. LINE	0E	0E	6900 T	9.0	99.9W	1.3F	
9266		BAYMEADOWS RD. E. .1 MI. OF BEGIN STATE MAINTENA	N	6800E S	9600E	16400 T	9.0	56.1F	1.3F
9267		OLD KINGS RD. S. 100' N. OF POWERS AVE.	0E	0E	4100 T	9.0	56.1F	1.3F	
9268		DEERWOOD PARK BLVD. .1 MI. W. OF GATE PARKWAY (H	E	10000E W	11000E	21000 S	9.0	56.1F	1.3F
9269		BELFORT RD. .1 MI. N. OF A. C. SKINNER PKWY (HPM	N	11000E S	7600E	18600 S	9.0	56.1F	1.3F
9271		HARTLEY RD. .2 MI. E. OF SR 13 (HPMS)	0E	0E	11000 S	9.0	56.1F	1.3F	
9272		ARGYLE FOREST BLVD. .1 MI. E. OF SR 23 (HPMS)	E	15000E W	14500E	29500 S	9.0	56.1F	1.3F
9273		YOUNGERMAN CIRCLE .1 MI. N. OF ARGYLE FOREST BLV	0E	0E	7800 S	9.0	56.1F	1.3F	

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2017 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 72 DUVAL

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
====	====	=====	=====	=====	=====	=====	=====	=====
9274		RAMPART RD. .1 MI. S. OF MORSE AVE. (HPMS)	0E	0E	9600 S	9.0	56.1F	1.3F
9275		OLD KINGS RD. S. .1 MI. N. OF SUNBEAM RD. (HPMS)	0E	0E	9300 S	9.0	56.1F	1.3F
9276		TREDINICK PKWY .1 MI. W. OF MONUMENT RD. (HPMS)	E	W	6700E 7900E	9.0	56.1F	2.1F
9277		BLVD. ST. (BROAD ST.) S. OF ADAMS ST.	0E	0E	6800 F	9.0	99.9W	1.3F
9278		1ST ST. N. OF PONTE VEDRA BLVD.	0E	0E	200 F	9.0	56.1F	1.3F
9279		1ST ST. S. OF 28TH AVE S.	N		550 0 550 C	9.0	99.9W	1.3F
9285		HAMMOND BLVD/DEVOE ST S. OF POSEY RD	N	S	5700 5700 C	9.0	56.1F	1.3F
9905	T	SR-9/I-95,2.5 MI S OF I-295 S INTERCHANGE,DUVAL	N	S	46268 43527	9.0	55.5P	12.8P
9914	T	SR-9A/I-295,3 MI N OF I-10,JACKSONVILLE,DUVAL CO	N	S	38108 37316	9.0	53.2A	13.6A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF