

## **ENFORCEMENT UPDATE**

August 14, 2019

### **ENVIRONMENTAL QUALITY DIVISION**

#### **AIR COMMITTEE UPDATE - AIR/ODOR (AP-) AND NOISE (NP-)**

##### **CITATION CASES**

	<b><u>ALLEGED VIOLATOR</u></b>	<b><u>ALLEGED VIOLATION</u></b>	<b><u>CITATION NO.</u></b>	<b><u>STATUS</u></b>	<b><u>NOTES</u></b>
1.	KB HOME JACKSONVILLE, LLC; FLORIDA ROADS CONTRACTING, LLC [0 PHILIPS HWY]	OPEN BURNING WITHOUT A PERMIT	AP-19-07	CONSENT ORDER 7/15/19	CONSENT ORDER READY FOR APPROVAL AT AUG. JEPB MTG.
2.	WASTE MANAGEMENT INC. OF FLORIDA DBA WASTE MANAGEMENT OF JACKSONVILLE	DUMPSTER SERVICE BETWEEN 10 PM AND 7 AM	NP-19-02	CONSENT ORDER 7/31/19	CONSENT ORDER READY FOR APPROVAL AT AUG. JEPB MTG.
3.	REPUBLIC SERVICES OF FLRIDA, LIMITED PARTNERSHIP D/B/A SOUTHLAND WASTE SYSTEMS OF JAX	DUMPSTER SERVICE BETWEEN 10 PM AND 7 AM	NP-18-03	CONSENT ORDER 5/6/19  SEP 7/31/19	CONSENT APPROVED AT JULY JEPB MTG. \$1,250 PENALTY DUE 8/14/19. SEP DUE 7/31/19. PENALTY PAID. PLASTIC DUMPSTER PLACED AT LOCATION OF VIOLATION. EQD AND REPUBLIC WORKING ON DETERMINING LOCATION OF OTHER 2 DUMPSTERS BASED UPON COMPLAINTS AND REPUBLIC'S CURRENT CLIENT LOCATIONS.

#### **WATER COMMITTEE UPDATE - WATER (WP-), GROUNDWATER (GW-) AND HAZMAT (HM-)**

##### **CITATION CASES**

	<b><u>ALLEGED VIOLATOR</u></b>	<b><u>ALLEGED VIOLATION</u></b>	<b><u>CITATION NO.</u></b>	<b><u>STATUS</u></b>	<b><u>NOTES</u></b>
1.	JEA [PARK ST., SAN JOSE BLVD., GAY AVE.]	UNLAWFUL DISCHARGE OF SEDIMENT AND/OR TURBID WATER; FAILURE TO COMPLY WITH EROSION AND SEDIMENT CONTROL STANDARDS	WP-18-CP1	COMPLIANCE PLAN  SEP 1 <sup>ST</sup> CLASS DUE 12/31/19	CONSENT ORDER APPROVED AT SEPT. JEPB MTG. SEP PROPOSAL OR PENALTY DUE BY 9/30/19. STATUS REPORTS RECEIVED TIMELY. MODIFICATION TO CONSENT ORDER WITH COMPLIANCE FOR SEP APPROVED AT JULY JEPB MTG. SEP 1 <sup>ST</sup> CLASS BY 12/31/19. LAST OF 8 CLASSES BY 9/10/22.
2.	JAX AVALON, LLC [7557 ARLINGTON EXPY]	REPAIR/MODIFY SYSTEM TO DESIGN STANDARDS	VCP	COMPLIANCE PLAN  COMPLETE WORK BY 4/30/21	CONSENT ORDER WITH COMPLIANCE PLAN WITH NEW OWNER APPROVED AT SEPT. JEPB MTG. ALL WORK TO BE COMPLETE BY 6/30/19. STATUS REPORT REC'D 10/15/18, 11/15/18, 1/18/19. ENGINEER ENCOUNTERED CHALLENGES IN LINE INVESTIGATION. RESPONDENTS WILL LIKELY PROPOSE A MODIFICATION TO THE COMPLIANCE PLAN FOR A LONGER PROJECT PERIOD TO ADDRESS CHALLENGES. FIRST MODIFICATION OF COMPLIANCE PLAN APPROVED AT MAY JEPB MTG.

	<u>ALLEGED VIOLATOR</u>	<u>ALLEGED VIOLATION</u>	<u>CITATION NO.</u>	<u>STATUS</u>	<u>NOTES</u>
3.	BW BEACH BROUGHAM, LLC; KC PETROLEUM, INC.; WAWA FLORIDA, LLC [BROUGHAM AVE]	UNLAWFUL DISCHARGE TO STORMWATER (MS4); FAILURE TO COMPLY WITH EROSION AND SEDIMENT CONTROL STANDARDS	WP-19-51	CASE CLOSED	CONSENT ORDER APPROVED AT JULY JEPB MTG. \$1,840 PENALTY DUE 8/14/19. PENALTY PAID. CASE CLOSED.
4.	KB HOME JACKSONVILLE, LLC [PRESTON PINE]	UNLAWFUL DISCHARGE TO STORMWATER (MS4); FAILURE TO COMPLY WITH EROSION AND SEDIMENT CONTROL STANDARDS	WP-19-37	CASE CLOSED	CONSENT ORDER APPROVED AT JULY JEPB MTG. \$1,840 PENALTY DUE 8/14/19. PENALTY PAID. CASE CLOSED.
5.	LENNAR HOMES, LLC; PETTICOAT-SCHMITT CIVIL CONTRACTORS, INC. [0 TAMAYA BLVD.]	UNLAWFUL DISCHARGE OF SEDIMENT AND TURBID WATER TO WETLANDS; FAILURE TO COMPLY WITH EROSION AND SEDIMENT CONTROL STANDARDS	WP-19-29	CASE CLOSED	CONSENT ORDER APPROVED AT MAY JEPB MTG. \$6,400 PENALTY DUE 6/19/19. EQD FOLLOW-UP 7/10/19. PENALTY PAID. CASE CLOSED.
6.	WINN DIXIE STORES LEASING, LLC [703 CHAFFEE RD.]	UNLAWFUL DISCHARGE TO STORMWATER (MS4); FAILURE TO MAINTAIN WWCTS; UNLAWFUL BYPASS OF TREATMENT FACILITY	WP-19-25	COMPLIANCE PLAN	ORDER APPROVING SEP APPROVED AT MAY JEPB MTG. COMPLIANCE PLAN TO BE PRESENTED AT JUNE JEPB MTG. CONSENT ORDER WITH COMPLIANCE PLAN APPROVED AT JUNE JEPB MTG. WITH PROJECT DEADLINES AND \$14,640 PENALTY OR SEP PROPOSAL DUE 6/30/20. STATUS REPORT RECV'D.
7.	ANDTBACK & HARLING CVF, LLC [5626 WINDEMERE]	UNLAWFUL DISCHARGE TO GROUND; FAILURE TO MAINTAIN WWCTS; UNLAWFUL BYPASS OF WWCTS	WP-19-12	CONSENT ORDER 7/22/19	CONSENT ORDER READY FOR APPROVAL AT AUG. JEPB MTG.
8.	VISTA HOTEL IV, INC.; OMEGA CONSTRUCTION SERVICES, INC. [10715 DEERWOOD PAARK]	UNLAWFUL DISCHARGE TO STORMWATER; FAILURE TO COMPLY WITH EROSION AND SEDIMENT CONTROL STANDARDS	WP-19-11	CASE CLOSED	CONSENT ORDER APPROVED AT JULY JEPB MTG. \$1,840 PENALTY DUE 8/14/19. PENALTY PAID. CASE CLOSED.
9.	CRP/CHANCE JACKSONVILLE OWNER, LLC; LANDSOUTH CONSTRUCTION, LLC [COMMANDER APTS – 4000 ST. JOHNS AVE]	UNLAWFUL DISCHARGE TO STORMWATER AND SURFACE WATER; FAILURE TO COMPLY WITH EROSION AND SEDIMENT CONTROL STANDARDS	WP-19-04	CONSENT ORDER 7/8/19	CONSENT ORDER READY FOR APPROVAL AT AUG. JEPB MTG.
10.	PINE MEADOWS ASSOCIATES, LTD.; VPLACE PARTNERS, LLC; UNITED STATES POSTAL SERVICE; KFC CORPORATION [3451 SALAND WAY/BEACH BLVD.]	UNLAWFUL DISCHARGE TO STORMWATER; FAILURE TO MAINTAIN WWCTS [LIFT]; BYPASS OF WWTF; FAILURE TO NOTIFY EQD OF DISCHARGE AND PROVIDE RECORDS	WP-19-01	CONSENT ORDER 7/19/19 PINE MEADOWS	KFC AND USPS – NO DISCHARGES AND ENGINEERS CLEARED SYSTEMS. VPLACE UNDER REVIEW. CONSENT ORDER FOR PINE MEADOWS READY FOR APPROVAL AT AUG. JEPB MTG.

	<u>ALLEGED VIOLATOR</u>	<u>ALLEGED VIOLATION</u>	<u>CITATION NO.</u>	<u>STATUS</u>	<u>NOTES</u>
11.	VCP-SB ASSOCIATIONS, LTD. D/B/A LEIGH MEADOWS APARTMENTS [4320 SUNBEAM]	UNLAWFUL DISCHARGE TO STORMWATER; FAILURE TO MAINTAIN WWCTS; BYPASS OF TREATMENT FACILITY; FAILURE TO NOTIFY EQD AND PROVIDE REQUIRED RECORDS	WP-18-73	CASE CLOSED	CONSENT ORDER WITH SEP APPROVED AT JULY JEPB MTG. \$4,800 PENALTY DUE 8/14/19 – SEP 8/23/19. PENALTY PAID. SEP COMPLETE. CASE CLOSED.
12.	JOY, TIMOTHY AND GEORGE, TRUSTEES OF BETTY M. JOY TRUSTS, ET AL.; ROWE'S IGA, LLC; CLAYTON J. AND HARRIET H. KICKLIGHTER CHARITABLE REMAINDER TRUST, ET AL.; JS BLANDING, LLC [0, 5435, 5439 BLANDING BLVD.]	UNLAWFUL DISCHARGE OF WASTEWATER TO STORMWATER; FAILURE TO MAINTAIN SYSTEM; BYPASS OF TREATMENT FACILITY; FAILURE TO COMPLY WITH DESIGN STANDARDS; FAILURE TO HAVE OMR; FAILURE TO NOTIFY EQD AND PROVIDE RECORDS	WP-18-52	CONSENT ORDER 7/8/19	CONSENT ORDER READY FOR APPROVAL AT AUG. JEPB MTG.
13.	WATERS RIDGE, LLC; OMEGA CONSTRUCTION SERVICES, INC. [2304 ST. JOHNS BLUFF RD S]	UNLAWFUL DISCHARGE TO STORMWATER; FAILURE TO COMPLY WITH EROSION AND SEDIMENT CONTROL STANDARDS	WP-18-51	PENALTY DUE 8/14/19	CONSENT ORDER APPROVED AT JULY JEPB MTG. \$2,940 PENALTY DUE 8/14/19.
14.	COMMONS ON ANNISTON, LLC C/O STRATEGIC DIVERSIFIED REAL ESTATE HOLDINGS, LLC, ITS MANAGER	UNLAWFUL DISCHARGE; FAILURE TO MAINTAIN SYSTEM; BYPASS OF TREATMENT FACILITY; FAILURE TO COMPLY WITH DESIGN STANDARDS	WP-18-15	COMPLIANCE PLAN  Report/Permit 3/31/19 Urgent Repairs 4/30/19 Pay or SEP 10/31/19 All complete 11/12/23  Monthly Status Report due 12/15/18 then quarterly as of 4/15/19	CONSENT ORDER WITH COMPLIANCE PLAN APPROVED AT NOV. JEPB MTG. INITIAL ENGINEER REPORT PROVIDED 12/11/18 – UNDER REVIEW BY EQD. EQD WORKING WITH ENGINEER ON MODIFICATION TO COMPLIANCE PLAN FOR PROJECT SPECIFIC DEADLINES.
15.	JTB-AC SKINNER, LLC; METRIC CIVIL CONSTRUCTORS, LLC [8876 AC SKINNER]	UNLAWFUL DISCHARGE TO STORMWATER; FAILURE TO COMPLY WITH EROSION AND SEDIMENT CONTROL STANDARDS	WP-18-07	COMPLIANCE PLAN SEP  REPORTS DUE 8/6/19 11/4/19	CONSENT ORDER WITH COMPLIANCE PLAN SEP APPROVED AT FEB. JEPB MTG. SEP TO PROVIDE 4 HOUR TRAINING TO CONSTRUCTION INDUSTRY SITE PERSONNEL. \$8,560 PENALTY 100% MITIGATED WITH PROJECT VALUED AT \$10,700. TRAINING CLASS HELD 5/8/19. REPORTS DUE 8/6/19 AND 11/4/19. 7 REPORTS FROM TRAINED GROUND CREW PREVENTS 7 OFF-SITE IMPACTS TO WETLANDS, SURFACE WATERS AND/OR STORMWATERS.
16.	RESERVE PROPERTY HOLDINGS, LLC D/B/A THE PARK AT LEVANZO [11990 BEACH BLVD.]	UNLAWFUL DISCHARGE; FAILURE TO MAINTAIN WWCTS; BYPASS OF TREATMENT FACILITY; FAILURE TO PROVIDE; FAILURE TO NOTIFY EQD	WP-17-51	COMPLIANCE PLAN  SEP DUE 10/31/19	CONSENT ORDER APPROVED AT MARCH JEPB MTG. \$1,600 PENALTY DUE 4/17/19. SEP DUE 10/31/19. PENALTY PAID.

	<u>ALLEGED VIOLATOR</u>	<u>ALLEGED VIOLATION</u>	<u>CITATION NO.</u>	<u>STATUS</u>	<u>NOTES</u>
17.	JACKSONVILLE HUMANE SOCIETY, INC.; CREEKWOOD 5775 LLC D/B/A CREEKWOOD APARTMENTS [8343 HOGAN RD]	UNLAWFUL DISCHARGE; FAILURE TO MAINTAIN WWCTS; BYPASS OF TREATMENT FACILITY; FAILURE TO PERFORM REQUIRED MAINTENANCE AND KEEP REQUIRED RECORDS; FAILURE TO NOTIFY EQD	WP-17-49	COMPLIANCE PLAN  1 <sup>ST</sup> PERMIT WORK COMPLETE BY 10/31/19	CONSENT ORDER WITH COMPLIANCE PLAN WITH BUYER AND SELLER APPROVED AT JAN. JEPB MTG. EQD FOLLOW-UP ON TRANSFER OF PERMIT AND CONSENT ORDER DEADLINES 3/19/19. PERMIT FOR LIFT STATION TRANSFERRED TO NEW OWNER. PERMIT APPLICATION FOR COLLECTION LINES SUBMITTED TO EQD 7/8/19.
18.	PARADISE VILLAGE LIMITED, LTD	UNLAWFUL DISCHARGE OF WASTEWATER; FAILURE TO MAINTAIN COLLECTION LINES; UNLAWFUL BYPASS OF TREATMENT FACILITY	WP-17-47	CONSENT ORDER  REPORT DUE 4/15/19  DEP REQ. APPROVAL DUE 3/30/2020	CONSENT ORDER APPROVED AT NOV. JEPB MTG. PENALTY DUE 12/13/18. PENALTY PAID. DEP REQUEST FOR APPROVAL DUE 3/30/20. STATUS REPORT REC'D.
19.	WEN SOUTH, LLC; KFC U.S. PROPERTIES, INC.; KENTUCY FRIED CHICKEN OF JACKSONVILLE, INC.; NORTH FLORIDA FOODS, L.L.C.; LRIC JACKSONVILLE L.P.; FERRIGNO PROPERTY 2, LLC [UNIVERSITY AND POWERS]	UNLAWFUL DISCHARGE OF WASTEWATER; FAILURE TO MAINTAIN COLLECTION LINES; UNLAWFUL BYPASS OF TREATMENT FACILITY; FAILURE TO NOTIFY EQD	WP-17-45	CASE CLOSED	CONSENT ORDER APPROVED AT DEC. JEPB MTG. \$6400 PENALTY DUE 1/9/19. PENALTY PAID. QUARTERLY STATUS REPORTS, FIRST ONE 4/15/19. ENGINEER UPDATE 4/29/19. DEP REQUEST FOR APPROVAL DUE 3/30/20. DEP REQUEST FOR APPROVAL ACCEPTED 7/12/19. CASE CLOSED.
20.	PRESERVE AT ST. NICHOLAS INVESTMENT LLC; THE PRESERVE AT ST. NICHOLAS CONDOMINIUM ASSOCIATION, INC.; FIRSTRESIDENTIAL, INC.	UNLAWFUL DISCHARGE; FAILURE TO MAINTAIN WWCTS; MODIFICATION OF WWCTS WITHOUT PERMIT; FAILURE TO COMPLY DESIGN STANDARDS; FAILURE TO NOTIFY EQD AND SUBMIT DOCUMENTATION	WP-15-10	COMPLIANCE PLAN  SEE WP-17-43	CONSENT ORDER APPROVED AT JULY JEPB MTG. PENALTY DUE 8/10/16. PENALTY PAID. PERMIT APPLICATION DELIVERED TO JEA 7/20/16. STATUS REPORT REC'D 8/12/16. STATUS REPORT REC'D 9/19/16. WWCTS PERMIT APPLICATION SUBMITTED TO EQD AND UNDER REVIEW. STATUS REPORT REC'D 10/17/16. COMPLIANCE PLAN COMPLETION DUE 11/30/16. EQD FOLLOW-UP FOR STATUS 11/15/16 AND 12/1/16. ALL WORK IS COMPLETE, AS-BUILTS BEING PREPARED FOR JEA REVIEW AND SIGN-OFF FOR REQUEST FOR APPROVAL SUBMITTAL TO EQD. EQD FOLLOW-UP 1/17/17. REQUEST FOR APPROVAL ACCEPTED 1/30/17. SEP COMPLETE, INVOICE PAYMENT IN INSTALLMENTS. EQD WILL MONITOR UNTIL PAID IN FULL. UNLAWFUL DISCHARGE TO SURFACE WATERS OCT. 2017. CEASE AND DESIST CITATION WP-17-43 FOR UNLAWFUL DISCHARGE. PROPERTY IN RECEIVERSHIP
21.	CITY OF JACKSONVILLE / DEPARTMENT OF PUBLIC WORKS (UNIVERSITY POINT STORMWATER POND)	FAILURE TO COMPLY WITH EROSION AND SEDIMENT CONTROL STANDARDS; EXCEEDANCE OF WATER QUALITY STANDARDS	WP-03-04 [SEE ALSO WP-03-06]	COMPLIANCE PLAN [LAWSUIT VS. ACE CONSTRUCTORS]	CONSENT ORDER WITH COMPLIANCE PLAN APPROVED AT SEPT. 2013 JEPB MTG. PENALTY DUE 10/09/13. PENALTY PAID. JANUARY QUARTERLY REPORT RECEIVED. APRIL QUARTERLY REPORT RECEIVED. JULY QUARTERLY REPORT RECEIVED. EQD PROVIDED INFORMATION TO PUBLIC WORKS 8/26/14. OCTOBER QUARTERLY REPORT RECEIVED. SJRWMD RAI REC'D 1/20/15. SJRWMD SUGGESTED MODIFICATIONS TO REMEDIATION PLAN UNDER REVIEW. EQD LTR. TO SJRWMD SEEKING CLARIFICATION ON REMEDIATION REQUIREMENTS SENT 5/24/16. MTG. WITH SJRWMD HELD 6/8/16. SITE VISIT WITH SJRWMD, PW AND EQD TO BE SCHEDULED. EQD FOLLOWUP 10/27/16 AND 11/15/16.

**OFFICE OF GENERAL COUNSEL**

<b><u>ALLEGED VIOLATOR</u></b>	<b><u>ALLEGED VIOLATION</u></b>	<b><u>CITATION NO.</u></b>	<b><u>STATUS</u></b>	<b><u>NOTES</u></b>
1. PRESERVE AT ST. NICHOLAS INVESTMENT LLC; THE PRESERVE AT ST. NICHOLAS CONDOMINIUM ASSOCIATION, INC.; FIRSTRESIDENTIAL, INC.	UNLAWFUL DISCHARGE; FAILURE TO MAINTAIN WWCTS; MODIFICATION OF WWCTS WITHOUT PERMIT; FAILURE TO COMPLY DESIGN STANDARDS; FAILURE TO NOTIFY EQD AND SUBMIT DOCUMENTATION	WP-17-43 WP-15-10	LAWSUIT	CONSENT ORDER APPROVED AT JULY JEPB MTG. PENALTY DUE 8/10/16. PERMIT APPLICATION DELIVERED TO JEA 7/20/16. PENALTY PAID. STATUS REPORT RECEIVED 8/12/16. STATUS REPORT RECV'D 9/19/16. WWCTS PERMIT APPLICATION SUBMITTED TO EQD AND UNDER REVIEW. COMPLIANCE PLAN COMPLETION DUE 11/30/16. STATUS REPORT RECV'D 11/15/16. WORK COMPLETE – ENGINEER CERTIFICATIONS AND REQUEST FOR APPROVAL PACKAGE IN PROCESS. REQUEST FOR APPROVAL ACCEPTED 1/30/17. SEP COMPLETE, INVOICE PAYMENT IN INSTALLMENTS. EQD WILL MONITOR UNTIL PAID IN FULL. VIOLATIONS AT THE PROPERTY IN OCT. 2017. ENGINEER TO REVIEW PREVIOUSLY COMPLETED WORK AT PROPERTY. CEASE AND DESIST CITATION ISSUED FOR NEW VIOLATIONS. COMPLAINT FOR INJUNCTIVE RELIEF FILED BY OGC 12/20/17. COURT APPOINTED RECEIVER FOR PROPERTY 6/15/18. RECEIVER WORKING ON COMPLETING CORRECTIVE ACTIONS.
2. MAYPORT PARTNERS 2, LLC; JEFF KLOTZ; AMERICAN MANAGEMENT GROUP OF NORTH FLORIDA, LLC	FAILURE TO MAINTAIN; FAILURE TO COMPLY WITH DESIGN STANDARDS; FAILURE TO PROVIDE OPERATOR, PERFORM REQUIRED MAINTENANCE AND MAINTAIN LOG	WP-13-25	COMPLIANCE PLAN  OGC PETITION TO ENFORCE 2/12/19	CONSENT ORDER APPROVED AT JAN. 2016 JEPB MTG. PENALTY DUE 2/10/16. DISCUSSED POSSIBILITY OF DISSOLVING CONSENT ORDER AT FEB JEPB MTG. RESPONDENT'S ENGINEER CONDUCTING INVESTIGATION OF ALL OLD COLLECTION SYSTEM LINES SINCE LIFT STATION WILL NOT BE REPLACED. WQB REVIEWING SCOPE OF WORK FOR PERMIT DETERMINATION. MODIFICATION OF JEPB CONSENT ORDER WITH COMPLIANCE PLAN WILL BE REQUESTED WHEN REVIEW COMPLETE. INABILITY TO PAY ANALYSIS REQUESTED. MODIFICATION TO CONSENT ORDER WITH COMPLIANCE PLAN APPROVED AT APRIL JEPB MTG. PENALTY DUE 5/11/16. PENALTY PAID. WORK TO BE COMPLETED BY 7/31/16. EQD FOLLOW-UP WITH ENGINEER 5/25/16 RE PERMITTING. PARTIES MAY REQUEST MODIFICATION AT JULY JEPB MTG. DUE TO DELAYS IN PROCESSING PERMIT THROUGH CITY OF ATLANTIC BEACH FOR UTILITY APPROVAL. MODIFICATION APPROVED, DEADLINE FOR COMPLETION 9/15/16. MODIFICATION REQUEST MADE BY RESPONDENTS AT SEPT. 12 MTG. EQD AND RESPONDENT WORKING ON A MODIFIED COMPLIANCE PLAN. EQD'S PROPOSED MODIFICATION BASED UPON RESPONDENT'S PRESENTATION AT SEPTEMBER 12 JEPB MTG. AND SUPPLEMENTAL INFORMATION WAS APPROVED AT NOV. JEPB MTG: EITHER MAINTAIN OCCUPANCY BY 3 REMAINING TENANTS THEN ABANDON LIFT STATION WHEN LAST TENANT VACATES OR BUILD PERMITTED LIFT STATION AND CONTINUE LEASING SPACE TO NEW TENANTS. MONTHLY MAINTENANCE REPORTS TO BE SUBMITTED TO EQD. REPORT RECV'D 11/30/16. REPORT RECV'D 12/30/16. REPORT RECEIVED 1/31/17. OPERATING ON 1 PUMP. MAYPORT REQUESTS EXTENSION OF TIME AS THEY ARE WORKING WITH POSSIBLE NEW TENANT THAT WILL REQUIRE LIFT STATION MODIFICATIONS TO BE COMPLETED. NOTICE OF FINE LETTER FOR NONCOMPLIANCE WITH BOARD ORDER ISSUED 3/28/17. RESPONDENTS REQUEST TO APPEAL THE NOTICE OF FINE REFERRED TO OGC. NOTICE OF IMPOSITION OF CIVIL FINE RESCINDED. OGC TO PROCEED PETITION FOR ENFORCEMENT OF CONSENT ORDER WITH COMPLIANCE PLAN. STATUS REPORT FOR PERMITTED MODIFICATIONS RECV'D 6/13/17. REPAIRS COMPLETED. DEP REQUEST FOR APPROVAL TO BE SUBMITTED. CONTACTED BY OWNER REGARDING DEVELOPMENT PLANS AT PROPERTY. EQD ATTEMPTING TO OBTAIN MORE INFORMATION. OGC PETITION TO ENFORCE FILED 2/12/19.

<u>ALLEGED VIOLATOR</u>	<u>ALLEGED VIOLATION</u>	<u>CITATION NO.</u>	<u>STATUS</u>	<u>NOTES</u>
3. WHITE, OMAR NAIM	FAILURE OF AN OWNER OF A SEPTIC TANK SYSTEM TO CONNECT TO REGIONAL SEWERAGE	WP-10-99	CONSENT ORDER UNPAID	OGC COMPLAINT FILED 6/15/11 – CASE 2011-CA-4704. PLUMBING PERMIT FOR SEWER CONNECTION PASSED 7/25/11. DCHD ABANDONMENT PERMIT ISSUED 7/25/11 AND APPROVED 10/4/11. CONSENT ORDER APPROVED AT DEC. 2011 JEPB MTG. PENALTY DUE 1/11/12. EQD NONPAYMENT LTR. SENT 2/10/12. NO PAYMENT RECEIVED AS OF 3/14/12. OGC TO FILE SEC. 120.69 PETITION TO ENFORCE. OGC OVERSIGHT LTR. SENT 4/25/12. RESPONDENT REQUESTED PAYMENT PLAN. FINANCIAL DOCUMENTS NOT RECEIVED BY EQD AS OF 3/18/14. CASE 2011-CA-4704 REMAINS OPEN. <u>PROPERTY DEEDED TO NEW OWNER 10/31/13.</u> COURT'S NOTICE OF PROPOSED DISMISSAL FOR LACK OF PROSECUTION FILED 9/24/14 – HEARING 12/8/14. NOTICE OF VOLUNTARY DISMISSAL WITHOUT PREJUDICE FILED 10/2/14. COURT CASE CLOSED. CONSENT ORDER PENALTY REMAINS UNPAID.
4. SHOUP, SANDRA C. AND JAMES A.	FAILURE OF AN OWNER OF A SEPTIC TANK SYSTEM TO CONNECT TO REGIONAL SEWERAGE	WP-10-73	CONSENT ORDER UNPAID	CONSENT ORDER APPROVED AT MARCH 2011 JEPB MTG. PENALTY DUE 4/13/11. EQD FOLLOW-UP LTR. SENT 5/5/11. NO PAYMENT AS OF 5/31/11. REFERRED TO OGC 6/2/11 FOR OVERSIGHT LTR. OGC OVERSIGHT LTR. SENT 6/21/11.
5. CARR, ROBERT AND JOYCE	FAILURE OF AN OWNER OF A SEPTIC TANK SYSTEM TO CONNECT TO REGIONAL SEWERAGE	WP-10-36	CONSENT ORDER UNPAID	CONSENT ORDER APPROVED AT OCT. 2010 JEPB MTG. PENALTY PAYMENT SCHEDULE, 3 PAYMENTS DUE 10/30/10, 11/30/10, 12/30/10. NO PENALTY PAYMENTS MADE. REFERRED TO OGC 1/7/11 FOR OVERSIGHT LTR. OGC OVERSIGHT LTR. SENT 4/19/11. OGC TO PROCEED WITH COMPLAINT. NEW DEED RECORDED 4/16/11. EQD REVIEWED DRAFT PETITION TO ENFORCE 6/30/11. POST DEFERRAL PLUMBING PERMIT FOR SEWER CONNECTION FINALIZED 5/23/11. CONSENT ORDER PENALTY REMAINS UNPAID.

#### ABBREVIATIONS

AQB = AIR QUALITY BRANCH, EQD  
DCHD = DUVAL COUNTY HEALTH DEPARTMENT  
DEPT. = REGULATORY COMPLIANCE DEPARTMENT  
DS = DEVELOPMENT SERVICES  
EQD = ENVIRONMENTAL QUALITY DIVISION  
EMS = ENVIRONMENTAL MANAGEMENT SYSTEM  
EPA - ENVIRONMENTAL PROTECTION AGENCY  
HSD = HOUSING SERVICES DIVISION, FORMERLY JACKSONVILLE HOUSING COMM.  
JHC = JACKSONVILLE HOUSING COMMISSION, NOW HOUSING SERVICES DIVISION  
NOx = NITROGEN OXIDES

OGC = OFFICE OF GENERAL COUNSEL  
PM = PARTICULATE MATTER  
SEP = SUPPLEMENTAL ENVIRONMENTAL PROJECT  
SJRWMD = ST. JOHNS RIVER WATER MANAGEMENT DISTRICT  
TOC = TOTAL ORGANIC COMPOUNDS  
UTIP = UTILITY TAP-IN PROGRAM  
VE = VISIBLE EMISSIONS  
VOC = VOLATILE ORGANIC COMPOUNDS  
WQB = WATER QUALITY BRANCH, EQD  
WWCTS = WASTEWATER COLLECTION/TRANSMISSION SYSTEM

#### IRRIGATION / FERTILIZER TICKET SUMMARY TO DATE:

TOTAL IRRIG./FERT. WARNING TICKETS ISSUED	149
TOTAL IRRIG./FERT. \$50 TICKETS ISSUED	7
TOTAL IRRIG./FERT. \$250 TICKETS ISSUED	0
HEAT PUMPS VERIFIED	253